

Attached lid containers

Containers securely stack for efficient distribution and nest to save return transport costs.

Unlike disposable packaging all our products can be used again and again, over many years, helping our customers comply with packaging waste regulations, reduce carbon footprint and save money.

Incorporating an integral hinged lid, ALCs (Attached Lid Containers) provide the secure distribution solution.

Containers stack with lids closed and nest with lids open. Push-in tamper evident security seal system ensures that seals cannot be removed without breakage – providing visual identification of whether a container has been opened.

Maxine trays inter-stack with each other and are compatible with 600x400mm dollies, stacking 2-up (side by side) on the Universal dolly DO795904.



ToteBox range



Kaiman range



10005 (AT000504): 4 litre
ToteBox Attached lid container
 Ext: 300 x 200 x 130mm
 Int: 245 x 160 x 101mm
 Nested height: 80mm
 Wt: 0.7 Kg, col: two-tone green

10010 (AT001004): 6 litre
ToteBox Attached lid container
 Ext: 300 x 200 x 200mm
 Int: 235 x 152 x 174mm
 Nested height: 80mm
 Wt: 0.85 Kg, col: two-tone green

Stacks 2-up (side by side) on 400 x 300mm ToteBoxes



AT432204: 18 litres
Kaiman Attached lid container
 Ext: 400 x 300 x 222mm
 Int: 338 x 254 x 197mm
 51% height saving when nested
 Wt: 1.8 Kg, colour: blue

400 x 300mm **Kaiman** ALCs stack 2-up (side by side) on 600 x 400mm Kaimans



10020 (AT002004): 20 litre
ToteBox Attached lid container
 Ext: 400 x 300 x 252mm
 Int: 325 x 246 x 222mm
 Nested height: 100mm
 Wt: 1.65 Kg, col: two-tone green

10025 (AT002504): 25 litre
ToteBox Attached lid container
 Ext: 400 x 300 x 320mm
 Int: 321 x 244 x 295mm
 Nested height: 100mm
 Wt: 1.87 Kg, col: two-tone green

Stacks 2-up (side by side) on 600 x 400mm ToteBoxes



AT432604: 22 litres
Kaiman Attached lid container
 Ext: 400 x 300 x 264mm
 Int: 334 x 254 x 239mm
 59% height saving when nested
 Wt: 1.9 Kg, colour: blue

AT433104: 25 litres
Kaiman Attached lid container
 Ext: 400 x 300 x 306mm
 Int: 329 x 250 x 282mm
 64% height saving when nested
 Wt: 2.1 Kg, colour: blue




10040 (AT100404): 40 litre
ToteBox Attached lid container
 Ext: 600 x 400 x 250mm
 Int: 515 x 343 x 215mm
 Nested height: 85mm, wt: 2.79 Kg
 Colour: two-tone green or grey with blue, red or yellow lid

10A5B (AT0A5B04): 54 litre
ToteBox Attached lid container
 Ext: 600 x 400 x 320mm
 Int: 508 x 335 x 285mm
 Nested height: 85mm, wt: 3.20 Kg
 Colour: two-tone green or grey with blue, red or yellow lid



54 litre EcoTote
EcoTote Attached lid container.
 Ref. 10A5B (AT0A5B04)
 manufactured in recycled plastic
 Colour: black



40 and 54 litre ToteBox colour options



AT642604: 48 litres
Kaiman Attached lid container
 Ext: 600 x 400 x 264mm
 Int: 530 x 353 x 240mm
 75% height saving when nested
 Wt: 3 Kg, colour: blue

AT643104: 54 litres
Kaiman Attached lid container
 Ext: 600 x 400 x 306mm
 Int: 514 x 350 x 281mm
 64% height saving when nested
 Wt: 3.2 Kg, colour: blue



AT643604: 65 litres
Kaiman Attached lid container
 Ext: 600 x 400 x 365mm
 Int: 508 x 346 x 340mm
 70% height saving when nested
 Wt: 3.5 Kg, colour: blue

AT644004: 70 litres
Kaiman Attached lid container
 Ext: 600 x 400 x 400mm
 Int: 521 x 343 x 375mm
 73% height saving when nested
 Wt: 3.7 Kg, colour: blue



10A6B (AT0A6B04): 64 litre
ToteBox Attached lid container
 Ext: 600 x 400 x 365mm
 Int: 501 x 328 x 330mm
 Nested height: 85mm
 Wt: 3.38 Kg
 Colour: two-tone green

64 litre EcoTote
EcoTote Attached lid container.
 Ref. 10A6B (AT0A6B04)
 manufactured in recycled plastic
 Colour: black



00701: Security seal
 Tamper evident security seal for ToteBox & DPC refs. 10020, 10025, 10040, 10A5B, 10A6B, 10A82, 10A83 and 10552. Two required per container.

00473: Label holder
 Label holder cover for ToteBox refs. 10020, 10025, 1005B and 1006B.



10A82 (AT10A829): 80 litres
 ALC with 4 drain holes (aids de-nesting)
 Ext: 710 x 460 x 368mm
 Int: 597 x 374 x 330mm
 78% height saving when nested
 Wt: 4.0 Kg, Colour: green/green

10A83 (AT10A804): 80 litres
 As AT10A829 without drain holes



80 litres EcoTote
EcoTote Attached lid container.
 Ref. 10A82 (AT10A829) manufactured in recycled plastic
 Colour: black

80 litres EcoTote
EcoTote Attached lid container.
 Ref. 10A83 (AT10A804) manufactured in recycled plastic
 Colour: black



AT337104: 135 litres
 Ext: 1125 x 480 x 360mm
 Int: 1000 x 360 x 340mm
 76% height saving when nested
 Wt: 6.92 Kg, Colour: red
minimum order item



AT336104: 160 litres
 Ext: 675 x 575 x 615mm
 Int: 560 x 430 x 540mm
 85% height saving when nested
 Wt: 7.98 Kg, Colour: red
minimum order item



10552 (AT055209): 54 litres
 Distribution picking container with sliding door and multi-fold lid
 Ext: 600 x 400 x 320mm
 Int: 505 x 334 x 292mm
 66% height saving when nested
 Wt: 3.2 Kg, colour: green/green

Tamper-evident security seals available.



600x400 Dolly DOJ90501
 600 x 400mm wheeled dolly with 4 swivel 100mmØ nylon castors
 Dim: 604 x 402 x 173mm
 Max loading: 180 Kg
 Wt: 4 Kg, Colour red
 Carries 600x400mm Euro stacking, ALC, Maxine and 180° stack nest ranges .



Universal Dolly DO795904
 800 x 600mm dolly with 4 swivel 100mmØ braked castors.
 Dim: 798 x 598 x 171mm
 Max loading: 500 Kg
 Wt: 9.7 Kg, Colour grey
 Carries two stacks of 600x400mm containers from any range.

Dolly handle HO008604
 Fits Universal dolly



Stacking containers

Designed for a wide range of handling and storage applications, Schoeller Allibert stacking trays and containers are strong, durable and efficient. Containers securely stack, vertical sides provide maximum internal volume and smooth surfaces are hygienic and easy to clean.



European stacking containers



stacking containers

• Euro stacking containers

Modular inter-stacking containers with vertical sides for maximum internal volume. All models inter-stack to form a compact storage unit.

400x300mm containers stack 2-up (side by side) on 600x400mm models and 600x400mm containers stack 2-up on 800x600mm models.

Euro pallet compatibility; 600x400mm models stack 5 per layer on a 1200x1000mm pallet and 4 per layer on a 1200x800mm pallet.

Ideal for use in fridges and freezers; ventilated models promote air flow, speeding cooling and helping to maintain a constant temperature.

Accessories include lids (separate or attached), label holders, dividers and wheeled dollies.

• Stacking containers

Vertical sides provide maximum internal volume.



21005 (ES210004): 5 litres
Solid Euro stacking
Ext: 300 x 200 x 118mm
Int: 257 x 159 x 108mm
Wt: 0.42 Kg
Colour: grey or red

Stacks 2-up (side by side) on 400 x 300mm Euro stacking containers



21006 (ES100604): 6 litres
Solid Euro stacking
Ext: 400 x 300 x 74mm
Int: 355 x 255 x 64mm
Wt: 0.48 Kg
Colour: grey

Stacks 2-up (side by side) on 600 x 400mm Euro stacking containers



21010 (ES210104): 10 litres
Solid Euro stacking
Ext: 400 x 300 x 118mm
Int: 355 x 255 x 105mm
Wt: 0.8 Kg
Colour: grey or red

21009 (ES210001): 10 litres
Ventilated version of ES210104
Wt: 0.66 Kg
Colour: grey



21027 (ES431704): 15 litres
Solid Euro stacking
Ext: 400 x 300 x 175mm
Int: 354 x 254 x 162mm
Wt: 1.1 Kg
Colour: grey or red

61020 (LI610204): Lid
Cover for 400x300 Euro stacking range
Colour: grey or red



21020 (ES432304): 20 litres
Solid Euro stacking
Ext: 400 x 300 x 235mm
Int: 354 x 254 x 222mm
Wt: 1.4 Kg
Colour: grey or red

21026 (ES102606): 20 litres
Solid base, ventilated sides version of ES432304
Wt: 1.18 Kg, Colour: grey



21030 (ES103004): 30 litres
Solid Euro stacking
Ext: 400 x 300 x 319mm
Int: 355 x 255 x 300mm
Wt: 1.77 Kg
Colour: grey



21008 (ES100804): 8 litres
Solid Euro stacking
Ext: 600 x 400 x 50mm
Int: 555 x 355 x 40mm
Wt: 0.8 Kg
Colour: grey

600 x 400mm Euro stackers are all compatible with 600x400 wheeled dollies and stack 2-up (side by side) on 800x600mm Euros and the Universal dolly.



21014 (ES640701): 12 litres
Ventilated Euro stacking
Ext: 600 x 400 x 75mm
Int: 556 x 356 x 62mm
Wt: 0.9 Kg
Colour: grey

21013 (ES640704): 12 litres
Solid version of ES640701
Wt: 1.1 Kg
Colour: grey



2A021 (ES641204): 21 litres
Solid Euro stacking
Ext: 600 x 400 x 120mm
Int: 556 x 356 x 107mm
Wt: 1.5 Kg
Colour: grey, red or white

2A022 (ES641201): 21 litres
Ventilated version of ES641204
Wt: 1.2 Kg
Colour: grey



20016 (ES001611): 20 litres
Ventilated Euro stacking
Ext: 600 x 400 x 120mm
Int: 555 x 355 x 104mm
Wt: 1.1 Kg
Colour: grey



20029 (ES200201): 28 litres
Ventilated Euro stacking
Ext: 600 x 400 x 150mm
Int: 555 x 355 x 139mm
Wt: 1.25 Kg
Colour: grey

20028 (ES200204): 28 litres
Solid version of ES200201
Wt: 1.48 Kg
Colour: grey



21033 (ES641704): 34 litres
Solid Euro stacking
Ext: 600 x 400 x 175mm
Int: 556 x 356 x 162mm
Wt: 1.8 Kg
Colour: grey or red

ES641701: 34 litres
Ventilated Euro stacking
Ext: 600 x 400 x 175mm
Int: 556 x 356 x 162mm
Wt: 1.4 Kg, Colour: grey



2A049 (ES2A0405): 45 litres
Solid Euro with cut-out handles
Ext: 600 x 400 x 235mm
Int: 555 x 355 x 220mm
Wt: 2.14 Kg, colour: grey

61045 (LI104504): Snap-shut lid
Lid for 600x400 Euro stackers
Colour: grey

2A045 (ES2A0404): 45 litres
As ES2A0405 with solid hand-holds
Wt: 2.18 Kg, Colour: grey or red



2A044 (ES2A0401): 45 litres
Ventilated Euro stacking
Ext: 600 x 400 x 235mm
Int: 555 x 355 x 215mm
Wt: 1.83 Kg
Colour: grey



21054 (ES210504): 54 litres
Solid Euro stacking
Ext: 600 x 400 x 280mm
Int: 555 x 355 x 265mm
Wt: 2.51 Kg, Colour: grey

21055 (ES105501): 52 litres
Ventilated Euro stacking
Ext: 600 x 400 x 280mm
Int: 555 x 355 x 255mm
Wt: 2.18 Kg, Colour: grey



21060 (ES210605): 60 litres
Solid Euro stacking
Ext: 600 x 400 x 319mm
Int: 555 x 355 x 300mm
Wt: 2.75 Kg, colour: grey or red

61060 (LI106004): Lid
Cover for 600x400 Euros
Colour: grey, red or white

21063 (ES210604): 60 litres
As ES210605 with solid hand-holds
Wt: 2.88 Kg, colour: grey



21064 (ES210601): 60 litres
Ventilated Euro stacking
Ext: 600 x 400 x 319mm
Int: 555 x 355 x 294mm
Wt: 2.33 Kg, Colour: grey

21061 (ES210606): 60 litres
Solid base ventilated sides version of above, Wt: 2.31 Kg, Colour: grey



20085 (ES644005): 75 litres
Solid Euro stacking
Ext: 600 x 400 x 400mm
Int: 556 x 356 x 387mm
Wt: 3.1 Kg, Colour: grey

20086 (ES200806): 75 litres
Ventilated version of ES200805
Wt: 3.06 Kg, Colour: grey





21090 (ES210905): 87 litres
 Solid Euro stacking
 Ext: 800 x 600 x 235mm
 Int: 755 x 555 x 205mm
 Wt: 3.85 Kg
 Colour: grey

21091 (ES210901): 87 litres
 Ventilated version of ES210905
 Wt: 3.33 Kg, colour: grey



21136 (ES211306): 125 litres
 Solid base, ventilated sides Euro stacking
 Ext: 800 x 600 x 319mm
 Int: 755 x 555 x 295mm
 Wt: 4.06 Kg
 Colour: grey



21135 (ES157805): 125 litres
 Solid Euro stacking
 Ext: 800 x 600 x 319mm
 Int: 752 x 555 x 305mm
 Wt: 4.4 Kg
 Colour: grey


61087 (LI108704): lid
 Cover for 800x600 Euro stacking range



21162 (ES211605): 162 litres
 Solid Euro stacking
 Ext: 800 x 600 x 412mm
 Int: 755 x 555 x 382mm
 Wt: 5.63 Kg, colour: grey

61086 (LI108604): Snap-shut lid

21164 (ES211606): 162 litres
 Solid base, ventilated sides version of ES211605
 Wt: 4.99 Kg, colour: grey



Covers
 Euro stacking container covers
 Ref. 61020 (LI610204):
 400 x 300mm
 Colour: grey or red
 Ref. 61060 (LI106004):
 600 x 400mm
 Colour: grey, red or white
 Ref. 61087 (LI108704):
 800 x 600mm
 Colour: grey



Snap shut lids
 Secure fitting lid for Euro stacking containers
 Ref. 61045 (LI104504):
 600 x 400mm
 Colour: grey
 Ref. 61086 (LI108604):
 800 x 600mm
 Colour: grey



Divider strips
 Snap to size & interlock to divide Euro stacking containers
 OT800404: 1,104 x 45mm
 OT800804: 1,104 x 88mm
 OT801504: 1,100 x 150mm
 OT801904: 1,100 x 190mm



20C10 (ES0C1004): 10 litres
 Solid Euro with integral lid
 Ext: 400 x 300 x 129mm
 Int: 355 x 255 x 105mm
 Wt: 1.21 Kg, colour: grey

21C27 (ES1C2704): 15 litres
 Solid Euro with integral lid
 Ext: 400 x 300 x 186mm
 Int: 355 x 255 x 164mm
 Wt: 1.43 Kg, colour: grey

OTPE9004: Card clip
 Stainless steel card clip for Euro stackers



21C20 (ES1C2004): 20 litres
 Solid Euro with integral lid
 Ext: 400 x 300 x 246mm
 Int: 355 x 255 x 220mm
 Wt: 1.68 Kg, colour: grey

21C30 (ES1C3004): 30 litres
 Solid Euro with integral lid
 Ext: 400 x 300 x 330mm
 Int: 355 x 255 x 300mm
 Wt: 2.18 Kg, colour: grey



20C28 (ES0C2804): 28 litres
 Solid Euro with integral lid
 Ext: 600 x 400 x 161mm
 Int: 555 x 355 x 139mm
 Wt: 2.11 Kg, colour: grey

21C33 (ES1C3304): 33 litres
 Solid Euro with integral lid
 Ext: 600 x 400 x 186mm
 Int: 555 x 355 x 164mm
 Wt: 2.48 Kg, colour: grey



21C45 (ES1C4504): 45 litres
 Solid Euro with integral lid
 Ext: 600 x 400 x 246mm
 Int: 555 x 355 x 220mm
 Wt: 3.0 Kg, colour: grey

21C54 (ES1C5404): 54 litres
 Solid Euro with integral lid
 Ext: 600 x 400 x 291mm
 Int: 555 x 355 x 265mm
 Wt: 3.33 Kg, colour: grey



20C85 (ES0C8505): 75 litres
 Solid Euro with integral lid
 Ext: 600 x 400 x 423mm
 Int: 555 x 355 x 394mm
 Wt: 4.47 Kg, colour: grey



29049 (SN290401): 50 litres
 Ventilated stacking container
 Ext: 550 x 366 x 295mm
 Int: 518 x 333 x 260mm
 Wt: 2.02 Kg, colour: brown-red



41042 (RB410401): 43 litres
 Ventilated stacking container
 Ext: 750 x 450 x 165mm
 Int: 724 x 425 x 138mm
 Wt: 1.68 Kg, colour: white



RB155004: 28 litres
 Solid stacking container for hygienic food handling
 Ext: 654 x 395 x 155mm
 Int: 585 x 325 x 139mm
 Wt: 1.9 Kg, colour: natural



RB318304: 22 litres
 Solid 30"x18" confectionery tray
 Ext: 762 x 457 x 92mm
 Int: 715 x 412 x 72mm
 Wt: 1.8 Kg, colour: natural
 Compatible with lid ref. LI301804 and dolly ref. DO301801



RB318301: 22 litres
 Ventilated 30"x18" confectionery tray
 Ext: 762 x 457 x 92mm
 Int: 715 x 412 x 72mm
 Wt: 1.4 Kg, colour: natural
 Compatible with lid ref. LI301804 and dolly ref. DO301801



RB318306: 22 litres
 Ventilated sides, solid base 30"x18" confectionery tray
 Ext: 762 x 457 x 92mm
 Int: 715 x 412 x 72mm
 Wt: 1.7 Kg, colour: natural
 Compatible with lid ref. LI301804 and dolly ref. DO301801



RB318504: 32 litres
 Solid 30"x18" confectionery tray
 Ext: 762 x 457 x 123mm
 Int: 715 x 412 x 103mm
 Wt: 2.6 Kg, colour: natural

RB318501: 32 litres
 Ventilated version of RB318504
 Wt: 1.9 Kg, colour: natural



RB318704: 48 litres
 Solid 30"x18" confectionery tray
 Ext: 762 x 457 x 176mm
 Int: 715 x 412 x 156mm
 Wt: 2.2 Kg, colour: natural
 Compatible with lid ref. LI301804 and dolly ref. DO301801



RB318701: 48 litres
 Ventilated 30"x18" confectionery tray
 Ext: 762 x 457 x 176mm
 Int: 715 x 412 x 156mm
 Wt: 2.1 Kg, colour: natural

RB318706: 48 litres
 Ventilated sides solid base version of RB318701
 Wt: 2.1 Kg, colour: natural

Schoeller Allibert stack nest trays and containers are tough, long lasting and cost effective. Often referred to as Returnable Transit Packaging (RTP), stack nest containers are ideal for all distribution applications.

Containers securely stack for efficient distribution and nest to save return transport costs.


Unlike disposable packaging all our products can be used again and again, over many years, helping our customers comply with packaging waste regulations, reduce carbon footprint and save money.



180° stack nest



bale arm containers



bread baskets

● 180° stacking & nesting containers

180° stacking & nesting containers stack when loaded and nest when empty by turning through 180° – saving up to 70% when empty.

Bi-colour containers clearly identify stacking and nesting positions to prevent accidentally crushing the contents by stacking in the wrong orientation.

180° Trad models inter-stack with each other and are compatible with 600x400mm dollies, stacking 2-up (side by side) on the Universal dolly DO795904.

● Maxinest bale arm stacking & nesting containers

The market leading produce tray for retail grocery logistics and point of-sale display. Maxinest trays inter-stack with each other for the safe distribution of fruit & vegetables, prepackage meats, fish and ready meals. Containers nest saving up to 76% of their original height, for the return journey through the supply chain.

Dual height Maxinests provide two or three working heights. This enables containers only to be part filled, for example with delicate produce which would be crushed if filled to the maximum loaded height. The alternative stacked height allows efficient distribution and means the same tray can be used for a number of different applications.

Maxinest trays inter-stack with each other and are compatible with 600x400mm dollies, stacking 2-up (side by side) on the Universal dolly DO795904.



MAXInest



SN431802: 15 litres
 Ventilated **Maxinest**® stacking & nesting with swing bar.
 Stacks 2-up (side by side) on 600x400mm **Maxinest**® trays.
 Ext: 400 x 300 x 180mm
 Int: 364 x 264 x 144mm
 70% height saving when nested
 Wt: 1.0 Kg, colour: blue



DH641002: 16 & 10 litres
 Ventilated dual height **Maxinest**® with two working heights
 Ext: 600 x 400 x 106mm
 Int: 552 x 352 x 50mm
 50% & 60% saving when nested
 Wt: 1.2 Kg
 Colour: blue



DH641602: 26 & 21 litres
 Ventilated dual height **Maxinest**® with two working heights
 Ext: 600 x 400 x 167mm
 Int: 552 x 352 x 110mm
 34% & 76% saving when nested
 Wt: 1.5 Kg
 Colour: blue



SN641907: 35 litres
 Solid **Maxinest**® stacking & nesting with swing bar
 Ext: 600 x 400 x 199mm
 Int: 546 x 349 x 172mm
 76% height saving when nested
 Wt: 1.8 Kg, colour: blue



SN642402: 44 litres
 Ventilated **Maxinest**® stacking & nesting with swing bar
 Ext: 600 x 400 x 253mm
 Int: 548 x 352 x 226mm
 74% height saving when nested
 Wt: 2.0 Kg, colour: blue



SN642602: 46 litres
 Ventilated **Maxinest**® stacking & nesting with swing bar
 Ext: 600 x 400 x 267mm
 Int: 548 x 352 x 240mm
 74% height saving when nested
 Wt: 2.1 Kg, colour: blue

SN641902: 35 litres
 Ventilated version of SN641907
 Wt: 1.7 Kg
 Colour: blue, green or red



SN642202: 38 litres
 Ventilated stacking & nesting with swing bar
 Ext: 600 x 400 x 225mm
 Int: 525 x 347 x 200mm
 60% height saving when nested
 Wt: 1.7 Kg
 Colour: blue

Compatible with 600x400mm dollies, stacks 2-up (side by side) on Universal dolly ref. DO795904.



DH740002: 43 & 28 litres
 Ventilated dual height stacking & nesting with swing bar
 Ext: 691 x 441 x 194mm
 Int: 635 x 391 x 168mm
 43% & 64% height saving when nested
 Wt: 2 Kg
 Colour: blue

Compatible with dolly ref. DO684301.



DH701807: 54 litres
 Solid stacking & nesting with swing bar
 Ext: 600 x 400 x 302mm
 Int: 570 x 370 x 270mm
 72% height saving when nested
 Wt: 2.4 Kg
 Colour: blue

Compatible with 600x400mm dollies, stacks 2-up (side by side) on the Universal dolly.



DH701802: 54 litres
 Ventilated stacking & nesting with swing bar
 Ext: 600 x 400 x 302mm
 Int: 570 x 370 x 270mm
 72% height saving when nested
 Wt: 2.1 Kg
 Colour: blue

Compatible with 600x400mm dollies, stacks 2-up (side by side) on the Universal dolly.



SN121202: 65 litres
 12 loaf stack nest bread basket with swing bar and open front
 Ext: 762 x 508 x 216mm
 Int: 697 x 463 x 190mm
 50% height saving when nested
 Wt: 1.9 Kg
 Colour: grey

Compatible with dolly DO302001 (made to order item)



SN150201: 68 litres
 15 loaf stack nest bread basket with swing bar and open front
 Ext: 788 x 617 x 190mm
 Int: 723 x 569 x 165mm
 50% height saving when nested
 Wt: 2.4 Kg
 Colour: blue

Compatible with dolly DO322601 (made to order item)



11020 (SN102001): 18 litres
 Ventilated 180° Trad stack nest
 Ext: 600 x 400 x 117mm
 Int: 458 x 338 x 102mm
 70% height saving when nested
 Wt: 1.09 Kg, Colour: grey

11018 (SN101804): 18 litres
 Solid version of SN102001
 Wt: 1.18 Kg, Colour: grey/grey

61046 (LI104604): Snap-shut lid
 Lid for 180° Trad range and NO105104



11032 (SN110305): 32 litres
 Solid 180° Trad stack nest
 Ext: 600 x 400 x 200mm
 Int: 457 x 338 x 177mm
 70% height saving when nested
 Wt: 1.84 Kg
 Colour: red/grey or grey/grey

11034 (SN110301): 32 litres
 Ventilated version of SN110305
 Wt: 1.6 Kg, Colour: grey/grey



11051 (SN105105): 50 litres
 Solid 180° Trad stack nest
 Ext: 600 x 400 x 300mm
 Int: 460 x 340 x 270mm
 70% height saving when nested
 Wt: 2.3 Kg
 Colour: red/grey or grey/grey

11053 (SN105201): 50 litres
 Ventilated version of SN105105
 Wt: 2.1 Kg
 Colour: grey/grey



11066 (SN106601): 70 litres
 Ventilated 180° Trad stack nest
 Ext: 600 x 400 x 400mm
 Int: 460 x 340 x 370mm
 70% height saving when nested
 Wt: 2.65 Kg, Colour: grey

11065 (SN106505): 70 litres
 Solid version of SN106601
 Wt: 3.06 Kg, Colour: grey/grey

Products for bulk, heavy-duty and hygienic storage and distribution.

Bulk containers meet a wide range of handling requirements, including caps & closures, clothing & textiles, fresh fish, frozen meat, granules, metal components & fixings, plastic mouldings, vegetable harvesting, wiring looms, etc.

Plastic pallets provide the ideal solution for hygiene critical applications. Light weight pallets save fuel costs during distribution. Heavy duty models safely rack loads of up to 1.2 tonnes.



folding bulk containers



rigid bulk containers



pallets

● Maxipac folding containers

Ideal for a wide range of handling, distribution and point-of-sale applications. Maxipac folds flat when empty, drop-doors provide easy access, available with wheeled or pallet base.

● Folding large containers (FLCs)

Stacks up to five high carrying a unit load of 500Kg - a combined load of 2.5 tonnes. FLCs fold flat when empty, saving valuable space on return transport. Easy and quick to assemble and fold, drop-doors allow easy access - even when stacked. TYTAN is lighter, folds flatter and has a larger volume than any other container in its class.

● Geobox & Jumbox rigid bulk containers

Light and strong, Geoboxes stack up to ten high loaded to 450Kg each - a total load of 4.5 tonnes. Heavy duty Jumbox stacks ten high carrying a 650Kg unit load - a combined load of 6.5 tonnes.

● Universal pallet

The 800x600mm half size pallet is ideal for applications where space is limited, such as retail distribution and point-of-sale display or JIT deliveries to assembly plants.

● Packpal pallets

The light weight distribution pallet, Packpal with 9 feet nests when empty saving return transport costs.

● Maestro pallets

The ultimate plastic pallet, Maestro is strong, durable and extremely hygienic. The standard pallet can rack loads of up to 1.2 tonnes (reinforced versions rack up to 1.6 tonnes). Smooth surfaces, free from dirt traps, are easy to clean.



MAXIPAC



BD702692: 357 litres
 Maxipac folding bulk container
 Ext: 800 x 600 x 1000mm
 Int: 756 x 556 x 846mm
 68% height saving when folded
 Loading: 250 Kg on base unit
 Wt: 22 Kg, colour: black



BD702792: 357 litres
 Maxipac with wheeled castors
 Ext: 800 x 600 x 1080mm
 Int.: 756 x 556 x 843mm
 61% height saving when folded
 Loading: 250 Kg on base unit
 Wt: 25.5 Kg, colour: black



27601 (GB760101): 543 litres
 Ventilated Geobox with 2 runners
 Ext: 1200 x 1000 x 750mm
 Int: 1110 x 910 x 545mm
 Unit load: 450 Kg x 10 high
 Wt: 33 Kg, colour: brown-red
 Compatible with lid ref. LIC40204



27602 (GB760904): 543 litres
 Solid Geobox with 6 feet
 Ext: 1200 x 1000 x 750mm
 Int: 1110 x 910 x 545mm
 Unit load: 450 Kg x 10 high
 Wt: 33 Kg, colour: brown-red
 Compatible with lid ref. LIC40204



3F503 (PKF50301): 1200x1000
 Packpal pallet with perimeter runners, open deck & load retaining lip.
 Dim: 1200 x 1000 x 172mm
 Mobile load: 1200 Kg
 Static load: 1500 Kg
 Racked load: 700 Kg
 Wt: 11.9 Kg, colour: brown-red

3F303 (PKF30301): 1200x1000
 As PKF50301 with 3 runners
 Mobile load: 650 Kg,
 static load: 1500 Kg,
 racked load: n/a,
 Wt: 9.3 Kg, colour: brown-red

MAESTRO



3L300 (MAL30004): 1200x800mm
 Maestro pallet with 3 runners & solid smooth deck
 Dim: 1200 x 800 x 158mm
 Mobile load: 1200 Kg
 Static load: 5000 Kg
 Racked load: 1000 Kg
 Wt: 19 Kg, colour: blue

3M302 (MAL30204): 1200x800mm
 As MAL30004 with 7mm lip



FL097520: 780 litres
 K975 heavy duty folding bulk container with 3 runners & 2 drop doors
 Ext: 1200 x 1000 x 975mm
 Int: 1118 x 918 x 760mm
 62% height saving when folded
 Unit load: 500 Kg x 5 high
 Wt: 63.9 Kg, colour: black
 Compatible with lid ref. LI09759D

UNIVERSAL PALLET



PA262804: 800x600mm
 Universal pallet
 Dim: 800 x 600 x 165mm
 Mobile load: 500 Kg
 Static load: 1000 Kg
 Racked load: n/a
 Wt: 7 Kg, Colour: black



3M302 (MAM30204): 1200x1000mm
 Maestro pallet with 3 runners & solid smooth deck with 7mm load retaining lip
 Dim: 1200 x 1000 x 165mm
 Mobile load: 1500 Kg
 Static load: 5000 Kg
 Racked load: 1200 Kg
 Wt: 23.5 Kg, colour: blue

3M300 (MAM30004): 1200x1000mm
 As MAM30204 without 7mm lip

GEOBOX



27250 (GB725004): 250 litres
 Solid Geobox with 2 runners.
 Ext: 1000 x 600 x 662mm
 Int: 929 x 544 x 519mm
 Unit load: 200 Kg x 10 high
 Wt: 13.5 Kg, colour: brown-red



27600 (GB760604): 543 litres
 Solid Geobox with 2 runners
 Ext: 1200 x 1000 x 750mm
 Int: 1110 x 910 x 545mm
 Unit load: 450 Kg x 10 high
 Wt: 34 Kg, colour: brown-red

LIC40204: Geobox lid
 Lid for 1200x1000mm Geoboxes



3E003 (PKE00301): 1200x800mm
 Packpal pallet with 9 feet (nests when empty), open deck and load retaining lip
 Dim: 1200 x 800 x 147mm
 Mobile load: 650 Kg
 Static load: 1500 Kg
 Not suitable for pallet racking
 Wt: 5.9 Kg, colour: brown-red



3F003 (PKF00301): 1200x1000mm
 Packpal pallet with 9 feet (nests when empty), open deck and load retaining lip
 Dim: 1200 x 1000 x 147mm
 Mobile load: 650 Kg
 Static load: 1500 Kg
 Not suitable for pallet racking
 Wt: 7.3 Kg, colour: brown-red



CO101501: Pallet collar
 Transforms a standard 1200x1000 plastic or wood pallet into a robust bulk container. Seven folded collars fit into one assembled unit, saving valuable transport space on the return journey.
 Ext: 1225 x 1025 x 352mm
 Int: 1160 x 960 x 300mm
 Folded: 1150 x 130 x 352mm
 Load: 500 Kg (up to 4 collars high)
 Wt: 6.2 Kg, colour: black