



- ⚠ Fully welded, banded unit, for storing and transporting fuels and chemicals
- ⚠ High and low level ventilation
- ⚠ External fixing points to secure the unit
- ⚠ Over-centre clasp with padlock facility
- ⚠ Fitted with flame arrester gauze and built to the specification of 30 minute fire resistance
- ⚠ Suitable for storing fuels or chemicals
- ⚠ Fitted with hazardous warning signs
- ⚠ Designed for storing 2 x 5 litre cans

Product	Armorgard TransBank TRB1
Internal dimensions	345x345x335
External dimensions (including protrusions)	430x415x365
Weight (kg)	13
Colour	Pillar Box Red
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	1.2mm
Locking mechanism	Overcentre catch with padlock facility
Does it have Forklift Skids?	No
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	N/A
Optional Extras Available	N/A
Quantity of Shelves as standard	0
Are Castors standard or optional extra	N/A
How are the Castors fitted?	N/A
Sump capacity	15
Safety Signage	Hazardous Goods Sign
Fire resistant?	Up to 30 minutes



RICHARDSONS
MAKING WORKSPACE WORK

6 Collingwood Court
Riverside Park
Middlesbrough TS2 1RP

Tel: 01642 242228
Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk

Data Sheet | Model: Armorgard TransBank TRB2



- ⚠ Fully welded, banded unit, for storing and transporting fuels and chemicals
- ⚠ High and low level ventilation
- ⚠ External fixing points to secure the unit
- ⚠ Over-centre clasp with padlock facility
- ⚠ Fitted with flame arrester gauze and built to the specification of 30 minute fire resistance
- ⚠ Suitable for storing fuels or chemicals
- ⚠ Fitted with hazardous warning signs
- ⚠ Designed for storing 2 x 20 litre cans

<i>Product</i>	Armorgard TransBank TRB2
<i>Internal dimensions</i>	445x415x510
<i>External dimensions (including protrusions)</i>	530x485x540
<i>Weight (kg)</i>	20
<i>Colour</i>	Pillar Box Red
<i>Finished Coating</i>	Powder Coat with anti-corrosive undercoat
<i>Material</i>	Steel
<i>Material Thickness</i>	1.2mm
<i>Locking mechanism</i>	Overcentre catch with padlock facility
<i>Does it have Forklift Skids?</i>	No
<i>Does it have Gas Arms?</i>	No
<i>Newton Loading of Gas Arms</i>	N/A
<i>Safety stay</i>	No
<i>Quantity of keys supplied</i>	N/A
<i>Optional Extras Available</i>	N/A
<i>Quantity of Shelves as standard</i>	0
<i>Are Castors standard or optional extra</i>	N/A
<i>How are the Castors fitted?</i>	N/A
<i>Sump capacity</i>	35
<i>Safety Signage</i>	Hazardous Goods Sign
<i>Fire resistant?</i>	Up to 30 minutes



RICHARDSONS
MAKING WORKSPACE WORK

6 Collingwood Court
Riverside Park
Middlesbrough TS2 1RP

Tel: 01642 242228
Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk

Data Sheet | Model: **Armorgard TransBank TRB3**



- 🔥 Fully welded, banded unit, for storing and transporting fuels and chemicals
- 🔥 High and low level ventilation
- 🔥 External fixing points to secure the unit
- 🔥 Over-centre clasp with padlock facility
- 🔥 Fitted with flame arrester gauze and built to the specification of 30 minute fire resistance
- 🔥 Suitable for storing fuels or chemicals
- 🔥 Fitted with hazardous warning signs
- 🔥 Designed for storing 3 x 20 litre cans

Product	Armorgard TransBank TRB3
Internal dimensions	620x415x510
External dimensions (including protrusions)	705x485x540
Weight (kg)	24
Colour	Pillar Box Red
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	1.2mm
Locking mechanism	Overcentre catch with padlock facility
Does it have Forklift Skids?	No
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	N/A
Optional Extras Available	N/A
Quantity of Shelves as standard	0
Are Castors standard or optional extra	N/A
How are the Castors fitted?	N/A
Sump capacity	70
Safety Signage	Hazardous Goods Sign
Fire resistant?	Up to 30 minutes



RICHARDSONS
MAKING WORKSPACE WORK

6 Collingwood Court
Riverside Park
Middlesbrough TS2 1RP

Tel: 01642 242228
Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk

Data Sheet | Model: **Armorgard TransBank TRB4**



- ⚠ Fully welded, banded unit, for storing and transporting fuels and chemicals
- ⚠ High and low level ventilation
- ⚠ External fixing points to secure the unit
- ⚠ Over-centre clasp with padlock facility
- ⚠ Fitted with flame arrester gauze and built to the specification of 30 minute fire resistance
- ⚠ Suitable for storing fuels or chemicals
- ⚠ Fitted with hazardous warning signs
- ⚠ Designed for storing 4 x 20 litre cans

Product	Armorgard TransBank TRB4
Internal dimensions	790x415x510
External dimensions (including protrusions)	880x485x540
Weight (kg)	28
Colour	Pillar Box Red
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	1.2mm
Locking mechanism	Overcentre catch with padlock facility
Does it have Forklift Skids?	No
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	N/A
Optional Extras Available	N/A
Quantity of Shelves as standard	0
Are Castors standard or optional extra	N/A
How are the Castors fitted?	N/A
Sump capacity	70
Safety Signage	Hazardous Goods Sign
Fire resistant?	Up to 30 minutes



RICHARDSONS
MAKING WORKSPACE WORK

6 Collingwood Court
Riverside Park
Middlesbrough TS2 1RP

Tel: 01642 242228
Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk

Data Sheet | Model: **Armorgard TransBank TRB6**



- ⚠ Fully welded, banded unit, for storing and transporting fuels and chemicals
- ⚠ High and low level ventilation
- ⚠ External fixing points to secure the unit
- ⚠ Over-centre clasp with padlock facility
- ⚠ Fitted with flame arrester gauze and built to the specification of 30 minute fire resistance
- ⚠ Suitable for storing fuels or chemicals
- ⚠ Fitted with hazardous warning signs
- ⚠ Designed for storing 6 x 20 litre cans

Product	Armorgard TransBank TRB6
Internal dimensions	1110x415x510
External dimensions (including protrusions)	1195x485x540
Weight (kg)	38
Colour	Pillar Box Red
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	1.2mm
Locking mechanism	Overcentre catch with padlock facility
Does it have Forklift Skids?	No
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	N/A
Optional Extras Available	N/A
Quantity of Shelves as standard	0
Are Castors standard or optional extra	N/A
How are the Castors fitted?	N/A
Sump capacity	90
Safety Signage	Hazardous Goods Sign
Fire resistant?	Up to 30 minutes



RICHARDSONS
MAKING WORKSPACE WORK

6 Collingwood Court
Riverside Park
Middlesbrough TS2 1RP

Tel: 01642 242228
Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk