



**RICHARDSONS**  
MAKING WORKSPACE WORK

6 Collingwood Court  
Riverside Park  
Middlesbrough TS2 1RP

**Tel: 01642 242228 | Fax: 01642 242259**

**[www.richardsonsuk.co.uk](http://www.richardsonsuk.co.uk) | [sales@richardsonsuk.co.uk](mailto:sales@richardsonsuk.co.uk)**



## IBC SPILL PALLETS





# IBC SPILL PALLETS

## POLYETHYLENE PALLETS

- All sumps hold 110% of the total stored or 25% of the combined total stored (whichever is greater).
- Rotationally moulded polyethylene construction means:
  1. Robust, hard wearing and incredibly long lasting.
  2. Compatible with most liquids.
- Please note: Spill pallets should only be moved when empty.
- All models are covered by the Romold® 3 year guarantee.



BB1

BB1T



For use with the BB1 to provide a decanting area



BB1FW



With integral tray



BB1FW has fork lift access from all four sides.

BB1DG



Includes a built in decanting area. BB1DG has an additional grid mesh deck for use with IBCs with a metal pallet base

BB1FWR



**MANUFACTURED FROM RECYCLED POLYETHYLENE**



## IMPORTANT

G at the end of a product denotes an optional R Grid is included

RGRID



Made from recycled product  Product has 4way access

CODE	DETAIL	DIBt APPROVAL	SIZE (LxWxH)	SUMP CAPACITY	UDL	WEIGHT
BB1	With grid	Y	1760 x 1350 x 710mm	1100ltr	2000kg	91kg
BB1T	Fits BB1	N	525 x 545 x 835mm	86ltr	-	8.5kg
BB1D	Without grid	N	2065 x 1445 x 705mm	1100ltr	1500kg	79kg
BB1DG	With grid	N	2065 x 1445 x 730mm	1100ltr	1500kg	94kg
BB1FW	With grid	Y	1340 x 1230 x 1090mm	1150ltr	1500kg	71kg
BB1FWR	With grid	N	1340 x 1230 x 1090mm	1150ltr	1500kg	71kg



BB2

BB2FW



BB2FW has fork lift access from all four sides



BB3

BB3 & BB3G have a built-in containment area to catch drips and leaks from the IBC valve

BBT

For use with BB2 to provide a decanting area



BB4



BB4 can be fitted with optional grid mesh RGRID for storing IBCs with metal spill pallets

BB3G



Please note: BB1D, BB3 and BB4 are not suitable for steel framed IBCs

CODE	DETAIL	DIBt APPROVAL	SIZE (LxWxH)	SUMP CAPACITY	UDL	WEIGHT
BB3	Without grid	Y	1735 x 1455 x 715mm	1125ltr	1500kg	77kg
BB3G	With grid	Y	1735 x 1455 x 715mm	1125ltr	1500kg	91kg
BB2	With grid	Y	2560 x 1350 x 510mm	1140ltr	3000kg	116kg
BBT	Fits BB2 & BB4	N	530 x 520 x 530mm	86ltr	-	5kg
BB2FW	With grid	Y	2340 x 1225 x 610mm	1150ltr	2500kg	91kg
BB4	Without grid	Y	2340 x 1360 x 520mm	1150ltr	2800kg	85kg
BB4G	With grid	Y	2340 x 1360 x 520mm	1150ltr	2800kg	109kg





# IBC SPILL PALLETS

## BB1C



BB1C and BB2C provide a low cost solution to protecting the sump from ingress by rainwater when you need to store IBCs outdoors

## BB2C



All sumps hold 110% of the total stored or 25% of the combined total stored (whichever is greater)

BB1HSC and BB2HSC have fully powder coat painted (inside and out) steel covers which makes them extremely durable, providing excellent compatibility with most liquids

## BB2HCS



## BB1HCS



The hinged, lockable doors are fitted with door stays to hold them securely when loading and unloading

## DF200



A robust polyethylene funnel complete with in-built debris strainer and lid designed for use with a standard 1000ltr IBC

CODE	SIZE (LxWxH)	SUMP CAPACITY	UDL	WEIGHT
BB1C	1760 x 1350 x 2410mm	1100ltr	1500kg	119kg
BB2C	2560 x 1350 x 2140mm	1140ltr	3000kg	181kg
BB1HCS	1840 x 1425 x 2405mm	1100ltr	2000kg	223kg
BB2HCS	2625 x 1430 x 2110mm	1140ltr	3000kg	285kg

CODE	DIA	WEIGHT	HEIGHT
DF200	640mm	4kg	150mm