

## lockers



# shelving

of authorised Probe dealers





kinetic mobile shelving













.







technic shelving



ultrabox plastic lockers





REGISTRARS





2 3 4 5 1

www.richardsonsuk.co.uk



6



# **KINETIC** MOBILE SHELVING SYSTEM RE ENGINEERED FOR EFFICIENCY

This Medium Duty Mobile Shelving System from Probe offers the highest quality track, mechanism and base. Design to perfectly accommodate Probe's Ikon shelving system and create up to 100% more storage space in your existing archive area.



Probe reserve the right to alter design and price without prior consent.







## **DECOR END PANELS**

New comprehensive range

### HAND WHEELS

New hand wheel with warning light that illuminates during operation

### END STOPS

New Concealed Stops; nothing protruding above floor level

### LOW PROFILE BASE

The low profile and modular mobile base system can be reduced in length, extended and easily relocated

### LOW PROFILE ADJUSTABLE TRACKS

The new 38mm high Kinetic tracking inherits the successful levelling from the previous Mobilis system

### **NO FLOOR FIXINGS**

the modular system easy to relocate and/or extend if required

Attractive aluminium ramp up to low profile flooring

New gear configuration to cater for heavier loads on longer units

A true non-slip 18mm flooring grade chipboard in modules to suit bay depths





Probe reserve the right to alter design and price without prior consent.



**ACTIVE**COAT<sup>\*</sup> hygienic, hard wearing and anti-bacterial 99.9% REDUCTION OF BACTERIA INCLUDING MRSA & E-COLI for the life of the coating



## NEW TRACK & HEAVY DUTY CARRIAGE

.

0

121

### **TRACK SPECIFICATION**

Tracks in 1500mm and 2000mm modules enabling any track to be sized to the nearest 500mm minimising waste. A 30 x 30 x 3mm inwardly lipped C-Section high tensile running track is set in the outer track which houses the jacking mechanism and supports the boards.

### **FLOOR SPECIFICATION**

Floor panels are now in modular sections and are true non-slip and are wear resistant according to the EN13329 and slip resistance is according to the DIN51130.


### **DRIVE SPECIFICATION**

We offer various gear ratios to suit all needs, not only to control hand wheel effort but also acceleration. As a guide, using our standard 3:1 mechanical advantage, we would expect a 1000kg load to be require 0.30kg hand wheel effort.

Probe reserve the right to alter design and price without prior consent



## **ACTIVE**COAT<sup>®</sup> hygienic, hard wearing and anti-bacterial 99.9% REDUCTION OF BACTERIA INCLUDING MRSA & E-COLI for the life of the coating





Probe reserve the right to alter design and price without prior consent.





## DECOR END PANEL OPTIONS

There are now an extended range of end panel options to suit every environment and compliment your existing or designed interior.

## HAND WHEEL OPTIONS

To compliment the new stylish handwheel there are five new colour insert options to match the Acrylic infill colours opposite. Available at an additional cost.

PASTEL TU



Due to print/screen limitations these colours are a representation only

### **PROBE KINETIC SHELVING**

Below are two examples of shelving in the same area. The New Probe Kinetic Mobile Shelving System increases shelving area by as much as **100%**.





**UP TO** 

Probe reserve the right to alter design and price without prior consent.



10





Probe reserve the right to alter design and price without prior consent.



### **INNOVATIVE MOVEMENT SENSOR AND SUPER BRIGHT LEDs**







