Company Brochure Issue 11



Bespoke Workspace Solutions Hazardous & General Storage Cabinets Workbenches | Trolleys | Stainless Steel





6 Collingwood Court Riverside Park Middlesbrough TS2 1RP



Tel: 01642 242228 Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk

Shelves Door

Hazardous Cabinets

All cabinets featured are of welded construction, supplied with drip trays where applicable and warning labels. Please contact us for any clarification regarding UK guidelines and specifications.

Compliant With:

- D S E A R 2002
- HS(G)51, 1990
- Factory Inspectorate Certificate Of Approval No1: Parts 3 & 4
- COSHH



Stainless Steel Hazardous Storage Cabinets

Welded and riveted construction from 304 quality stainless steel sheet with a brushed polish finish. Manufactured with reinforced doors mounted on pin hinges and secured by flush mounted 3 way locking handle. Fitted internally with adjustable spillage trays and lift out sump. Complete with warning label.

Cabinets				
H x W x D (mm)	Code	Shelves	Door	£
1800 x 880 x 450	87F884	3	2	998.08
1200 x 880 x 450	87F284	2	2	824.92
900 x 880 x 450	87F984	1	2	740.09
900 x 450 x 450	87F944	1	1	490.95

Extra Sh	elves	
W x D (mm)	Code	£
450 x 450	87ES44F	40.39
880 x 450	87ES84F	59.58

If ordered separately from a cabinet please add £15.00 carriage.







Flammable Storage Cabinets 88 SERIES

Cabinets

H x W x D (mm) Code

Welded construction in 0.9mm thick steel designed to maintain integrity for 30 minute fire rating. Supplied with adjustable spillage trays 75kg UDL and liquid tight sump tray (except 305mm deep cabinets). Doors are reinforced rebated double doors secured by strong 3 way locking chrome lever handle. High visibility powder coated finish with appropriate warning labels.



712 x 355 x 305	88F733	1	1	157.02	
610 x 459 x 459	88F644	1	1	173.00	
915 x 459 x 459	88F944	1	1	197.70	
1830 x 459 x 459	88F844	3	1	286.11	
610 x 610 x 305	88F663	1	2	186.36	
712 x 915 x 305	88F793	1	2	256.89	
712 x 915 x 459	88F794	1	2	271.64	
915 x 915 x 459	88F994	1	2	284.33	
1220 x 915 x 459	88F294	2	2	329.54	
1525 x 915 x 459	88F594	3	2	359.82	
1830 x 915 x 459	88F894	3	2	377.21	
1830 x 1220 x 459	88F824	3	2	443.48	
1830 x 560 x 560	88FSS855	3	0	280.00	
88F663 & 88F793 can be used as a wall mounted					

Extra Shelves				
H x W x D (mm)	Code	£		
355 x 305	88ES33F	19.81		
459 x 459	88ES44F	20.87		
610 x 305	88ES63F	21.83		
915 x 459	88ES94F	24.74		
1000 450	0050045	20.74		

If ordered separately from a cabinet please add £15 00 carriage

450 x 459 x 459 88FFS2 88F644, 944

Floor Stands (450mm High)

Suitable for

88FFS3 88F794, 994, 294 90.77

78.74

Mobile Flammable Storage 81 SERIES

Welded construction from 0.9mm thick sheet steel with rebated reinforced double doors secured by strong 3 way locking chrome lever handle. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push/pull handle. Powder coated yellow with appropriate warning labels.

H x W x D (mm)	Code	Shelves	£	H x W x D (mm)	Code	£
915 x 915 x 600	81F996	1	484.90	915 x 600	81FES96	30.3
220 x 915 x 600 I.B. Cabinet heigh reight including ca				If ordered separat £15.00 carriage.	tely from a cabinet	please add
			81F996	•		81F296
		•		1	1	
			f			


Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted. 2x swivel & 2x swivel braked. Not an option on 1830 cabinets.

Diameter (mm)	Code	£
125	C125	83.61

Key Features:

450 x 915 x 459





Cabinet Colour

Golden Yellow BS08E51

88 SERIES Stock Flammable Storage Cabinets

These best-selling sizes are held in stock for rapid delivery. Welded from 0.9mm steel, they feature strong chrome grab handles, a high visibility powder-coated finish, an appropriate warning label, adjustable perforated spillage trays 75kg UDL and a lift-out base spillage sump.

Cabinets HxWxD(mm) Code 712 x 355 x 305 88F733STOCK 915 x 459 x 459 88F944STOCK 712 x 915 x 459 1830 x 915 x 459 88F894STOCK 1830 x 1220 x 459 88F824STOCK ٨









88F794





Extra Shelves

W x D (mm)	Code	£
355 x 305	88ES33F	19.81
459 x 459	88ES44F	20.87
915 x 459	88FS94F	24 74

If ordered separately from a cabinet please add £15.00 carriage.

Shelf clips included with all shelves



Floor Stands (450mm High)

H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88FFS2	88F644, 944	78.74
450 x 915 x 459	88FFS3	88F794, 994, 294	90.77



Compliant with:

- DSEAR2002
- HS(G)51, 1990
- Factory Inspectorate Certificate of Approval No1:Parts 3 & 4,
- **FLAMMABLE** COSHH, Help achieve ISO14001





Grey Flammable Storage Cabinets 88 SERIES

Welded construction in 0.9mm thick steel designed to maintain integrity for 30 minute fire rating. Supplied with adjustable spillage trays 75kg UDL and liquid tight sump tray (except 305mm deep cabinets). Doors are reinforced rebated double doors secured by strong 3 way locking chrome lever handle. Powder coated finish in Blue Grey RAL 7031 with appropriate warning labels.

Flammable Storage

Safety cabinet with a robust welded construction. Fitted internally with welded spillage tray(s) and lift out base spillage sump. Blue Grey RAL 7031 with labels.



CODITIE	·			
H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88F733G	1	1	146.80
610 x 459 x 459	88F644G	1	1	166.25
915 x 459 x 459	88F944G	1	1	181.07
1830 x 459 x 459	88F844G	3	1	272.34
610 x 610 x 305	88F663G	1	2	185.79
712 x 915 x 305	88F793G	1	2	247.43
712 x 915 x 459	88F794G	1	2	258.00
915 x 915 x 459	88F994G	1	2	270.40
1220 x 915 x 459	88F294G	2	2	328.58
1525 x 915 x 459	88F594G	3	2	351.92
1830 x 915 x 459	88F894G	3	2	348.17

Extra Shelves Code W x D (mm) 88FS33F6 19.32 355 x 305 459 x 459 88ES44FG 20.22 610 x 305 88ES63FG 21.54 915 x 459 88ES94FG 24.25 1220 x 459 88ES24FG 28.25

If ordered separately from a cabinet please add £15.00 carriage.

1830 x 1220 x 459 88F824G 3

Mobile Grey Flammable Storage 81 SERIES

Welded construction from 0.9mm thick sheet steel with rebated reinforced double doors secured by strong 3 way locking chrome lever handle. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push/pull handle. Powder coated Blue Grey RAL 7031 with appropriate warning labels.

Cabinets				Extra She	elves
X W x D (mm)	Code	Shelves	£	W x D (mm)	Code
15 x 915 x 600	81F996G	1	459.56	915 x 600	81FES96G
220 x 915 x 600	81F296G	2	506.15	If ordered separate	ely from a cabinet p
B.Cabinet heights do not include castors. For overall eight including castors please add approx. 180mm.				£15.00 carriage.	



Floor Stands (450mm High)

H x W x D (mm)	Code	Shelves	Door	£
450 x 459 x 459	88FFSG2	88F644G	, 944G	76.64
4EO v 01E v 4EO	0000007	0007040	0010 2010	00 25

Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted 2x swivel & 2x swivel braked. Not an option on 1830 cabinets

Diameter (mm)	Code	£
125	C125	83.61





88 SERIES COSHH Cabinets

Comprehensive range of COSHH cabinets for the safe storage and segregation of substances that are labelled as being hazardous to health, for example Toxic or Irritant. Based on employers carrying out mandatory risk assessments in accordance with the COSHH regulations, cabinets can be utilised as a precautionary measure to aid with the control and maintenance of control elements to help promote successful compliance with the cosh regulations 2002. Welded construction from 0.9mm thick steel supplied with adjustable spillage trays 75kg UDL and liquid tight sump tray (except 305mm deep cabinets). Doors are reinforced rebated double doors secured by strong 3 way locking chrome lever handle. Powder coated finish in Silver Grey RAL 7001 with appropriate warning labels.

Cabinets				
H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88H733	1	1	149.09
610 x 459 x 459	88H644	1	1	171.24
915 x 459 x 459	88H944	1	1	187.08
1830 x 459 x 459	88H844	3	1	280.41
610 x 610 x 305	88H663	1	2	188.44
712 x 915 x 305	88H793	1	2	253.89
712 x 915 x 459	88H794	1	2	269.04
915 x 915 x 459	88H994	1	2	282.47
1220 x 915 x 459	88H294	2	2	334.10
1525 x 915 x 459	88H594	3	2	358.53
1830 x 915 x 459	88H894	3	2	362.91
1830 x 1220 x 459	88H824	3	2	441.08

88H663 & 88H793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.

Extra Shelves				
W x D (mm)	Code	£		
355 x 305	88ES33H	19.58		
459 x 459	88ES44H	20.57		
610 x 305	88ES63H	21.70		
915 x 459	88ES94H	24.58		
1220 x 459	88ES24H	28.45		

If ordered separately from a cabinet please add £15.00 carriage

Floor Stands (450mm High)

H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88HFS2	88H644, 944	77.78
450 x 915 x 459	88HFS3	88H794, 944, 294	89.61

Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted. 2x swivel & 2x swivel braked. Not an option on 1830 cabinets.

COSSH

Diameter (mm)	Code	£
125	C125	83.61

• COSHH regulations 2002

Hazardous Storage

Safety cabinet with a robust welded construction. Fitted internally with welded spillage tray(s) and lift out base spillage sump. Silver Grey RAL 7001 with labels.



Mobile COSHH Storage

Welded construction from 0.9mm thick sheet steel with rebated reinforced double doors secured by strong 3 way locking chrome lever handle. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push/pull handle. Powder coated Silver Grey RAL 7001 with appropriate warning labels.

Cabinets					
H x W x D (mm)	Code	Shelves	£		
915 x 915 x 600	81H996	1	470.59		
1220 x 915 x 600	81H296	2	515.54		
N P Cabinat baight	do not in	cludo castors	For overall		

N.B.Cabinet heights do not include castors. For overal height including castors please add approx. 180mm.





Extra Shelves



Acid & Alkali Cabinets 88 SERIES

Welded construction in 0.9mm thick zintec steel for extra corrosive resistance designed to store acids safely. Supplied with adjustable spillage trays 75kg UDL and liquid tight sump tray (except 305mm deep cabinets). Doors are reinforced rebated double doors secured by strong 3 way locking chrome lever handle. High visibility powder coated finish with appropriate warning labels. Note that these cabinets are for storing acids safely and do not claim to be acid proof. It is recommended that acids are stored in their original containers with the lids in the closed position.

Acid Storage

Safety cabinet with a robust welded construction. Fitted internally with welded spillage tray(s) and lift out base spillage sump. Signal White RAL 9003 with labels



Mobile Acid/Alkali Storage 81 SERIES

Welded construction from 0.9mm thick zintec coated sheet steel for extra corrosive resistance with rebated reinforced double doors secured by strong 3 way locking chrome lever handle. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push/pull handle. Powder coated Signal White RAL 9003 with appropriate warning labels.

Cabinets	5			Extra Sh	ielves	
H x W x D (mm)	Code	Shelves	£	W x D (mm)	Code	£
915 x 915 x 600	81A996	1	515.28	915 x 600	81AES96	30.31
1220 x 915 x 600 N.B.Cabinet height height including ca			. 180mm.	If ordered separa £15.00 carriage.	tely from a cabin	et please add 81A296
		<	\$ *	J	1	•
Cabinet Colour: Signal White RA	L 9003	3		3		

Cabinets

H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88A733	1	1	164.49
610 x 459 x 459	88A644	1	1	176.78
915 x 459 x 459	88A944	1	1	186.72
1830 x 459 x 459	88A844	3	1	291.29
610 x 610 x 305	88A663	1	2	198.30
712 x 915 x 305	88A793	1	2	250.46
712 x 915 x 459	88A794	1	2	261.86
915 x 915 x 459	88A994	1	2	274.87
1220 x 915 x 459	88A294	2	2	360.53
1525 x 915 x 459	88A594	3	2	378.75
1830 x 915 x 459	88A894	3	2	360.38
1830 x 1220 x 459	88A824	3	2	453.09
004667 0 004707			. 11	4 - 4

88A663 & 88A793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.

Extra Shelves				
W x D (mm)	Code	£		
355 x 305	88ES33A	19.64		
459 x 459	88ES44A	20.64		
610 x 305	88ES63A	22.15		
915 x 459	88ES94A	24.10		
1220 x 459	88ES24A	28.67		

If ordered seperately from a cabinet please add

Floor Stands (450mm High)

H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88AFS2	88A644, 944	77.32
450 x 915 x 459	88AFS3	88A794, 994, 294	89.05

Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted 2x swivel & 2x swivel braked. Not an option on 1830 cabinets

	Diameter (mm)	Code	£
1	125	C125	83.61

Please note all cabinets on this page are intended for the safe storage of acid and alkali. They are **NOT** acid proof







88 SERIES Agrochemical & Pesticide Cabinets

Welded construction in 0.9mm thick zintec steel with ventilated doors. Supplied with adjustable spillage trays 75kg UDL and liquid tight sump tray (except 305mm deep cabinets). Doors are reinforced rebated double doors secured by strong 3 way locking chrome lever handle. High visibility powder coated finish with appropriate warning labels.

Cabinets				
H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88P733	1	1	171.58
610 x 459 x 459	88P644	1	1	184.04
915 x 459 x 459	88P944	1	1	191.69
1830 x 459 x 459	88P844	3	1	295.17
610 x 610 x 305	88P663	1	2	200.51
712 x 915 x 305	88P793	1	2	252.71
712 x 915 x 459	88P794	1	2	268.26
915 x 915 x 459	88P994	1	2	282.04
1220 x 915 x 459	88P294	2	2	364.95
1525 x 915 x 459	88P594	3	2	383.99
1830 x 915 x 459	88P894	3	2	373.44
1830 x 1220 x 459	88P824	3	2	464.50
000007 0 000707		1		

88P663 & 88P793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.

Extra Shelves				
W x D (mm)	Code	£		
355 x 305	88ES33P	19.85		
459 x 459	88ES44P	20.92		
610 x 305	88ES63P	22.27		
915 x 459	88ES94P	24.60		
1220 x 459	88ES24P	29.47		

If ordered separately from a cabinet please add £15.00 carriage

Floor Stands (450mm High)

H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88PFS2	88P644, 944	78.18
450 x 915 x 459	88PFS3	88P794, 944, 294	90.10

Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted 2x swivel & 2x swivel braked Not an option on 1830 cabinets.

Diameter (mm)	Code	£
125	C125	83.61

Compliant with:

• COSHH - 1994

COSSH

HSE Guidance Notes A.I.S.16

Control of pesticide

regulations 1986



Mobile Agrochemical/Pesticide Storage

and lift out base spillage sump. Signal Green RAL 6032 with labels.

Welded construction from 0.9mm thick zintec coated sheet steel for extra corrosive resistance with rebated reinforced double doors secured by strong 3 way locking chrome lever handle. Doors are both ventilated. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push/pull handle. Powder coated Signal Green RAL 6032 with appropriate warning labels.

Cabinets					
Code	Shelves	£			
81P996	1	522.53			
81P296	2	571.35			
	Code 81P996	Code Shelves 81P996 1			

N.B.Cabinet heights do not include castors. For overall height including castors please add approx. 180mm.

Extra Shelves W x D (mm) Code 81PFS96 30.31 915 x 600 If ordered separately from a cabinet please add




£15.00 carriage



First Aid Cabinets 88 SERIES

High visibility first aid cabinets of welded construction from 0.9mm thick steel with adjustable shelves 75kg UDL. Reinforced rebated double doors secured by strong 3 way locking chrome lever handle. Finished powder coated Signal White RAL 9003 and supplied with first aid label.



Mobile First Aid Storage 81 SERIES

Welded construction from 0.9mm thick sheet steel with rebated reinforced double doors secured by strong 3 way locking chrome lever handle. Fitted with adjustable shelves. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push/pull handle. Powder coated Signal White RAL 9003 with appropriate warning labels.



Cabinets				4
H x W x D (mm)	Code	Shelves	£	ı
915 x 915 x 600	81FA996	1	515.60	S
1220 x 915 x 600	81FA296	2	563.16	2
EXTRA SHELF				Ν
915 x 600	81FAES96		30.31	[
If ordered separate £15.00 carriage. N.B.Cabinet height:	s do not incl	lude castors.	For overall	1
height including ca	stors please	add approx	. 180mm.	

Cabinets				
l x W x D (mm)	Code	Shelves	Door	£
12 x 355 x 305	88FA733	1	1	145.19
10 x 459 x 459	88FA644	1	1	162.38
15 x 459 x 459	88FA944	1	1	177.80
830 x 459 x 459	88FA844	3	1	270.80
10 x 610 x 305	88FA663	1	2	183.73
12 x 915 x 305	88FA793	1	2	245.24
12 x 915 x 459	88FA794	1	2	252.01
15 x 915 x 459	88FA994	1	2	265.01
220 x 915 x 459	88FA294	2	2	322.44
525 x 915 x 459	88FA594	3	2	347.45
830 x 915 x 459	88FA894	3	2	346.26
830 x 1220 x 459	88FA824	3	2	427.78
8FA663 & 88FA79 abinet, £15.00 per				

Extra Shelves				
W x D (mm)	Code	£		
355 x 305	88ES33FA	20.18		
459 x 459	88ES44FA	21.18		
610 x 305	88ES63FA	21.63		
915 x 459	88ES94FA	24.58		
1220 x 459	88ES24FA	29.10		

If ordered seperately from a cabinet please add

Floor Stands (450mm High)

H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88FAFS2	88FA644, 944	77.32
450 x 915 x 459	88FAFS3	88FA794, 944, 294	89.0

Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted 2x swivel & 2x swivel braked Not an option on 1830 cabinets Diameter (mm) Code

First Aid Storage Wall Mounted Cabinets 82 SERIES



H x W x D (mm) Code £ 450 x 380 x 250 82432FA 219.46 800 x 800 x 260 82882FA 395.09 **EXTRA SHELVES** 25.94 380 x 250 82S32FA 800 x 260 82S82FA 33.87 If ordered separately from a cabinet please add £15.00 carriage. FIRST AID TROLLEYS SEE PAGE 51

Welded construction from 2mm thick steel secured by 5 lever mortice lock(s). Supplied with appropriate warning labels.

Compliant with:

Health & Safety regulations 1981 •



* PREMIERSHIELD If not standard, please specify colour choice at time of order

82432FA

88 SERIES PPE Cabinets

Welded construction in 0.9mm steel to provide a robust steel cabinet to protect PPE from damage, contamination or loss. The 1525mm & 1830mm high models are complete with centre divider, 3 adjustable shelves 75kg UDL and hanging rail. Other sizes complete with adjustable shelves

Cabinets Shelves Door 712 x 355 x 305 88E733 145.76 610 x 459 x 459 88F644 165 49 915 x 459 x 459 610 x 610 x 305 185.45 247 49 712 x 915 x 305 712 x 915 x 459 256.06 915 x 915 x 459 325.07 1220 x 915 x 459 88E294 362 47 1525 x 915 x 459 88F594 440.40

88E663 & 88E793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.

88F894MDR 3

1830 x 915 x 459

41794

Extra Shelves				
W x D (mm)	Code	£		
355 x 305	88ES33E	19.58		
459 x 459	88ES44E	20.57		
610 x 305	88ES63E	21.70		
915 x 459	88ES94E	24.58		
1220 x 459	88ES24E	28.45		

If ordered separately from a cabinet please add £15.00 carriage.

Floor Stands (450mm High)

H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88EFS2	88EF644, 944	77.78
450 x 915 x 459	88EFS3	88EF794, 994, 294	89.61

Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted 2x swivel & 2x swivel braked. Not an option on 1830 cabinets.

Dia	ameter (mm)	Code	£
125		C125	83.61

PPE Storage

Safety cabinet with a robust welded construction







Compliant with:

The Personal Protective Equipment at Work Regulations 1994



Door Colour:

Heavy Duty Hazardous Storage Cabinets

All cabinets on this page are compliant with: D S E A R 2002-HS(G)51, 1990-Factory Inspectorate Certificate of Approval No: Parts 3 & 4-COSHH.

Heavy Duty Safety Cabinets 57 SERIES

Welded construction in 2mm steel plate with sealed base drainage boss. Reinforced doors mounted on pin hinge and secured by mortice lock. Shelves are adjustable 100kg UDL. Finished powder coated Traffic Red RAL 3020 with appropriate warning labels.



Heavy D	uty - 57 Series	
H x W x D (mm) SINGLE DOOR	Code	£
900 x 600 x 450	57964	407.95
1200 x 600 x 450	57264	458.50
1500 x 900 x 450	57594	590.24
DOUBLE DOOR		
900 x 900 x 450	57994	578.90
1200 x 1200 x 600	57226	694.40
1500 x 1500 x 600	57556	806.62
Hi Lo Vents		31.46

Heavy Duty Chemical / Hazardous Cabinets 85 SERIES

Constructed in 1.2mm thick steel sheet with sealed base and lift out sump. Reinforced doors mounted on continuous hinge. Flush 3 way locking handle. Adjustable spillage shelves. Traffic Red RAL 3020 finish. Chemical cabinets constructed in 1.2mm zintec steel finished grey.



Heavy D	uty - 8	5 Ser	ies	
H x W x D (mm)	Code		*H £	*C £
600 x 450 x 450	85644*		214.21	210.76
900 x 450 x 450	85944*		238.55	234.31
700 x 900 x 450	85794*		325.33	335.16
900 x 900 x 450	85994*		344.77	354.08
1200 x 900 x 450	85294*		382.19	397.35
1500 x 900 x 450	85594*		433.12	439.85
1800 x 900 x 450	85894*		467.85	473.53
WALL CABINET				
600 x 450 x 250	85642*		195.61	193.45
900 x 450 x 250	85942*		220.12	217.41
* 4	I) • (CD	TV -:-+		

* Add **H** (RED steel) or **C** (GREY zintec) to order code to indicate colour required

Yellow Heavy Duty - 85 Series

$H \times W \times D (mm)$	Code	£
1800 x 900 x 500	85Y895	475.88
Supplied with 4 per	forated galvanised shelves.	







Flexible, Bespoke And Affordable Workshop Solutions

A versatile modular system that can be supplied as single items or as a full system. All cabinets have reinforced doors and adjustable shelves (capacity 75kg per shelf unit UDL). Floor standing drawer units are central locking, fitted with anti-tilt mechanism and have a depth of 90mm. Drawers are mounted on full extention precision ball bearing slides with a capacity of 40kg (UDL).

Ever found yourself trying to squeeze a standard range of kit into tilt technology to the floor standing your workshop space and wishing you could have an extra set of drawers or a couple of additional shelves? How frustrating that you can only seem to order very specific units which don't really work for the job you have in mind.

James Bedford's unique Premier Workshop modular system allows you to choose from a range of standard units built into the format you need them with the flexibility to add in accessories to your distinct specifications.

Each unit in the innovative Premier Workshop system is welded from 0.9mm steel with reinforced doors and full extension 40kg capacity precision ball bearing drawer slides. In addition we have introduced antidrawer units and rear supporting posts in place of wall mounting making this kit the most versatile and flexible system on the market. Premier Workshop comes in JB Signature Blue JB0001 as standard with a range of other colours available on request.

So what's the real benefit to you from Premier Workshop?

- Flexibility for you to build your workshop space exactly how you want it
- · Affordable solutions tailored to vour needs
- High quality and reliable kit
- From a name you can trust!

How does it work

- 1. Select the base cupboard units you require.
- 2. Add in the drawer units you need.
- 3. Choose the accessories to complete your specific workspace.

For example a 4m run (below), the following units were used to create an effective solution for a garage workshop which needed drawers for tools, cupboards for overalls and a worksurface:





Add rear short support posts, louvered panel and worktop

So you could take one double door cupboard PWS815B





And finish off with a top cabinet (long support posts required) PWS815B PWSAP1L PW/SLP1 PWSWT1I PWS413B


Premier Wo	orkshop Modular Cabinets & Drawers		
Code	Description	Size H x W x D (mm)	Price
PWS855A	Single door, 2 Shelves	805 x 500 x 500	£187.16
PWS855B	Bank of 6 central locking drawers	805 x 500 x 500	£474.91
PWS855C	Bank of 3 deep central locking drawers	805 x 500 x 500	£407.46
PWS875A	Double doors, 2 Shelves	805 x 750 x 500	£256.07
PWS815A	2 sliding doors, 2 Shelves	805 x 1000 x 500	£323.01
PWS815B	Double doors, 2 Shelves	805 x 1000 x 500	£281.26
PWS815C	Bank of 6 central locking drawers	805 x 1000 x 500	£590.57
PWS815D	Bank of 3 deep central locking drawers	805 x 1000 x 500	£547.75
PWS1815A	2 sliding doors, 3 Shelves	1800 x 1000 x 500	£463.15
PWS1815B	Double doors, 3 Shelves	1800 x 1000 x 500	£389.92
PWS1815C	Double doors, no shelves, full louvered panel	1800 x 1000 x 500	£406.01
PWS1815D	Double doors, 1 shelf, half louvered panel with 2 drawers (40kg runners)	1800 x 1000 x 500	£472.69
PWS1815E	Double doors, 1 shelf, half louvered panel with 6 drawers and perforated door panels x 25kg	1800 x 1000 x 500	£679.16
PWS453B	Double doors, 1 shelf	415 x 500 x 300	£176.04
PWS473B	Double doors, 1 shelf	415 x 750 x 300	£217.04
PWS413A	2 sliding doors, 1 shelf (top cabinet)	415 x 1000 x 300	£276.64
PWS413B	Double doors, 1 shelf (top cabinet)	415 x 1000 x 300	£239.93

Access	ories		
Code	Description	Size H x W x D (mm)	Price
PWSES55	Shelf	500 x 500	£25.33
PWSES75	Shelf	750 x 500	£27.70
PWSES15	Shelf	1000 x 500	£30.06
PWSES15SL	Shelf for sliding door cabinet	1000 x 500	£30.06
PWSES53	Shelf	500 x 300	£25.33
PWSES73	Shelf	750 x 300	£27.70
PWSES13	Shelf	1000 x 300	£30.06
PWSES13SL	Shelf for sliding door cabinet	1000 x 300	£30.06
PWSAP1L	Long support posts	1800	£76.19
PWSAP2S	Short support posts	1385	£64.66
PWSLP1	Louvered panel	1000	£66.62
PWSTP1	Perforated tool panel	1000	£66.62
PWSWT10L	Lino worktop (factory fit only	() 1000 x 500	£95.29
PWSWT15L	Lino worktop (factory fit only) 1500 x 500	£161.41
PWSWT20L	Lino worktop (factory fit only	/) 2000 x 500	£170.24
PWSA	Fully Assembled		£55.66
If abaluas as a		auatalii fuana a aak	

If shelves or accessories are ordered separately from a cabinet, please add £15.00 carriage.







Workbench Range PREMIER 1

A flat pack modular workbench system with a weight capacity of 400kg UDL. All workbenches are 840mm high as standard, other heights available. All Premier workbench frames, cabinet and drawer carcases are epoxy polyester powder coated in Silver Grey RAL 7001. All premier cabinet doors and drawers are epoxy polyester powder coated in JB Signature Blue JB0001.

Workbenches £ LxW(mm) Top Code 1500 x 600 Veneer PW156A 287.71 1500 x 700 Veneer PW157A 331.46 PW156B 332.41 1500 x 600 Lino 363.81 1500 x 700 Lino PW157B 1500 x 600 MDF PW156C 232.61 1500 x 700 MDF PW157C 275.61 PW126A 296.83 2000 x 600 Veneer 2000 x 700 Venee PW127A 389.97 2000 x 600 PW126B 338.60 Lino 2000 x 700 PW127B 390.06 Lino 2000 x 600 MDF PW126C 232.09

PW127C

284.81

148.79 194.59

Access	ories		
L x W (mm)	Тор	Code	£
1500 x 600	Base Shelf	PW156BS	58.06
1500 x 600	Base Shelf/Mat	PW156BM	82.48
1500 x 700	Base Shelf	PW157BS	61.25
1500 x 700	Base Shelf/Mat	PW157BM	86.39
2000 x 600	Base Shelf	PW126BS	65.51
2000 x 600	Base Shelf/Mat	PW126BM	98.71
2000 x 700	Base Shelf	PW127BS	69.86
2000 x 700	Base Shelf/Mat	PW127BM	105.09

MDF

Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted. 2x swivel & 2x swivel braked (300kg UDL capacity). Please note this will increase the workbench height by approximately 130mm.

Diameter (mm)	Code	£
100	PW4SC	75.44

Cabinets

425 x 500 x 500 2

2000 x 700

H/Drawer (mm)	Code	Shelves	Drawers	£
	PC1	1		196.96
150	PC2	1	1	241.74
150/100	PC4		3/1	371.20

PD2

Drawers		
L x W x D (mm)	Drawers	Code
225 x 500 x 500	1	PD1A
425 x 500 x 500	1	PD1B

Premier 1 Workbench Range

Simple flat pack assembly for a basic bench 600mm wide including all assembly fixings.





Premier Underbench Cabinets

650 mm high, 500 mm wide & 500 mm deep. All cabinets secured by semi-flush fit locking handle and are complete with perforated tool panel and adjustable shelf.



Key Features:

- Central locking facility
- Manufactured from 0.9mm thick steel sheet

Premier Underbench Drawers

500mm wide x 500mm deep. PD1A = 225mm high PD1B = 425mm high. All drawers are mounted on precision ball bearing telescopic slides (capacity 40kg UDL).





Workbench Range PREMIER 1

400kg UDL. Construction from fabricated steel section with welded leg supports and multi position cross rail.

















Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 27mm thick industrial marble grey lino. 2mm vinyl surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.









Workbench Range



Dimensions

All workbenches 840mm high

AVAILABLE IN 2 SIZES

1500mm length x 700mm wide 2000mm length x 700mm wide

Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core Edge banded in 2mm thick grey plastic.
- B = 27mm thick industrial marble grey lino. 2mm vinyl surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.







Dimensions

All workbenches 840mm high

AVAILABLE IN 2 SIZES

1500mm length x 700mm wide 2000mm length x 700mm wide

4 PREMIERSHIELD If not standard, please specify colour choice at time of order

Workbench Range PREMIER 2

A flat pack heavy duty modular workbench system with a weight capacity of 500kg UDL. All workbenches are 840mm high as standard, other heights available on request. All Premier workbench frames are epoxy polyester powder coated in Silver Grey RAL 7001. Cabinets/drawers JB Signature Blue JB0001.

ACCESSO	RY POSTS	
PWAP1	Pair of accessory posts for combi panel 1000mm high	£55.3
PWAP2	Pair of accessory posts for combi panel & upper shelf 1500mm high	£60.0
PWAP3	Pair of accessory posts for combi panel & upper shelf & light 2000mm high	£67.
SERVICE	DUCT	
PWSD15	1500mm long service duct with 2 x 2 13amp double sockets	£88.
PWSD20	2000mm long service duct with 2 x 2 13amp double sockets	£104.9
COMBINA	TION BACK PANELS 450MM HIGH	
PWCP15	Combination Panel 1500mm x 450mm	£76.0
PWCP20	Combination Panel 2000mm x 450mm	£97.6
UPPER SH	IELVES	
PWUSS15	1500mm long steel upper shelf	£69.
PWUSS20	2000mm long steel upper shelf	£81.
LIGHT BA	R WITH 1200MM STRIP LIGHT*	
PWLU15	1500mm long supplied with diffuser	£119.9
PWLU20	2000mm long supplied with diffuser	£123

Workben	ches		
L x W x D (mm)	Тор	Code	£
1500 x 700 x 840	Veneer	PW257A	328.56
1500 x 700 x 840	Lino	PW257B	362.13
1500 x 700 x 840	MDF	PW257C	277.91
2000 x 700 x 840	Veneer	PW227A	401.41
2000 x 700 x 840	Lino	PW227B	401.50
2000 x 700 x 840	MDF	PW227C	300.24

Capitleis					
	L x W x D (mm)	Code	Shelves	Drawers	£
	650 x 500 x 500	PC1	1		196.96
	650 x 500 x 500	PC2	1	1	241.74
	650 x 500 x 500	PC4		3/1	371.20

Drawers			
L x W x D (mm)	Drawers	Code	£
225 x 500 x 500	1	PD1A	148.79
425 x 500 x 500	1	PD1B	194.59
425 x 500 x 500	2	PD2	267.76

Premier Underbench Cabinets

650mm high, 500mm wide & 500mm deep. All cabinets secured by semi-flush fit locking handle and are complete with perforated tool panel and adjustable shelf.



Key Features:

- Central locking facility
- Manufactured from 0.9mm thick steel sheet

Premier Underbench Drawers

500mm wide x 500mm deep. PD1A = 225mm high PD1B = 425mm high All drawers are mounted on precision ball bearing telescopic slides (capacity 40kg UDL)



Key Features:

- Central locking facility
- Manufactured from 0.9mm thick steel sheet



Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 27mm thick industrial marble grey lino. 2mm vinyl surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.







PREMIER 3 Square Tube & Premier 4 Cantilever Workbenches

Welded construction from 30mm square steel tube (Premier 3) and 50mm x 25mm rectangular steel tube (Premier 4) with a choice of worktops & accessories. The benches will arrive on site built up with above the work surface accessories supplied loose. All workbenches are 840mm high as standard, other heights available. Silver Grey RAL 7001 Frames with JB Signature Blue JB0001 Doors/Drawers.

Premier 3 Workbenches (Square Tube)

L x W x D (mm)	Тор	Code	£
1500 x 600 x 840	O Veneer	PW356A	324.93
1500 x 750 x 840) Veneer	PW357A	353.28
1500 x 600 x 840	O Lino	PW356B	361.01
1500 x 750 x 840) Lino	PW357B	368.50
1500 X 600 x 84	0 ESD	PW356G	395.89
1500 X 750 x 840	O ESD	PW357G	463.15
1800 x 600 x 84	0 Veneer	PW386A	375.06
1800 x 750 x 840) Veneer	PW387A	376.54
1800 x 600 x 840	0 Lino	PW386B	350.14
1800 x 750 x 840) Lino	PW387B	371.40
1800 X 600 x 84	0 ESD	PW386G	469.14
1800 X 750 x 840	O ESD	PW387G	478.58

Premier 4 Workbenches (Cantilever)

L x W x D (mm)	Тор	Code	£
1500 x 600 x 840	Veneer	PW456A	359.13
1500 x 750 x 840	Veneer	PW457A	386.95
1500 x 600 x 840	Lino	PW456B	395.21
1500 x 750 x 840	Lino	PW457B	403.02
1500 X 600 x 840	ESD	PW456G	439.81
1500 X 750 x 840	ESD	PW457G	507.26
1800 x 600 x 840	Veneer	PW486A	411.13
1800 x 750 x 840	Veneer	PW487A	413.51
1800 x 600 x 840	Lino	PW486B	386.47
1800 x 750 x 840	Lino	PW487B	409.43
1800 X 600 x 840	ESD	PW486G	507.49
1800 X 750 x 840	ESD	PW487G	516.61

Cabinets

L x W x D (mm)	Code	Shelves	Drawers	£
650 x 500 x 500	PC1	2		196.96
650 x 500 x 500	PC2	1	1	241.74
650 x 500 x 500	PC4		3/1	371.20

Diaweis						
L x W x D (mm)	Drawers	Code	£			
225 x 500 x 500	1	PD1A	148.79			
425 x 500 x 500	1	PD1B	194.59			
425 x 500 x 500	2	PD2	267.76			

Premier 3 Workbench Range



Premier Underbench Cabinets

650mm high, 500mm wide & 500mm deep. All cabinets secured by semi-flush fit locking handle and are complete with perforated tool panel and adjustable shelf.



Premier Underbench Drawers

500mm wide x 500mm deep. PD1A = 225mm high PD1B = 425mm high. All drawers are mounted on precision ball bearing telescopic slides (capacity 40kg UDL).





Square Tube & Premier 4 Cantilever Workbenches PREMIER 3

Premier 4 Workbench Range



Earth Bonding Points shown in image are an optional extra.





Accessories

ACCESSO	RY POSTS	
PWAP1	Pair of accessory posts for combi panel 1000mm high	£55.39
PWAP2	Pair of accessory posts for combi panel & upper shelf 1500mm high	£60.05
PWAP3	Pair of accessory posts for combi panel & upper shelf & light 2000mm high	£67.81
SERVICE I	DUCT*	
PWSD15	1500mm long service duct with 2 x 2 13amp double sockets	£88.77
PWSD18	1800mm long service duct with 2 x 2 13amp double sockets	£100.17
COMBINA	TION BACK PANELS 450MM HIGH	
PWCP15	Combination Panel 1500mm x 450mm	£76.06
PWCP18	Combination Panel 1800mm x 450mm	£96.45
UPPER SH	ELVES	
PWUSS15	1500mm long steel upper shelf	£69.31
PWUSS18	1800mm long steel upper shelf	£81.13
BASE SHE	LVES	
PBS15	1500mm long steel base shelf	£71.68
PBS18	1800mm long steel base shelf	£77.19
LIGHT BA	R WITH 1200MM STRIP LIGHT*	
PWLU15	1500mm long supplied with diffuser	£119.99
PWLU18	1800mm long supplied with diffuser	£122.33
KBMA1	Keyboard Monitor Arm	£120.45

*All electrics are supplied unwired, for fitting by a suitably qualified electrician



Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 27mm thick industrial marble grey lino. 2mm vinyl surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.







INFINITE Workbench System 1000kg UDL

INFINITE SYSTEM: Start with a 2M or 3M starter workbench and simply use add-on workbenches and accessories as required.

STRENGTH & FLEXIBILITY: Framework is constructed from fabricated steel section with welded leg supports and bolt in multi-position cross rails, which can be assembled in a variety of combinations to suit individual applications. Steel work powder coated Blue Grey RAL 7031.

Benches (25mm MDF Worktop)

All benches are 840mm high as standard.

L x vv (mm)	Description	Code	±
2000 x 700	Starter	KDB2078A	368.11
2000 x 700	Starter & Base	KDB2078BSA	409.4
2000 x 1200	Starter	KDB2028A	430.7
2000 x 1200	Starter & Base	KDB2028BSA	508.9
2000 x 1400	Starter	KDB2048A	449.2
2000 x 1400	Starter & Base	KDB2048BSA	547.19
3000 x 700	Starter	KDB3078A	552.4
3000 x 700	Starter & Base	KDB3078BSA	632.6
3000 x 1200	Starter	KDB3028A	645.2
3000 x 1200	Starter & Base	KDB3028BSA	750.22
3000 x 1400	Starter	KDB3048A	730.4
3000 x 1400	Starter & Base	KDB3048BSA	903.96
2000 x 700	Add-On	KDA278A	337.07
2000 x 700	Add-On & Base	KDA278BSA	370.10
2000 x 1200	Add-On	KDA228A	367.23
2000 x 1200	Add-On & Base	KDA228BSA	446.6
2000 x 1400	Add-On	KDA248A	410.31
2000 x 1400	Add-On & Base	KDA248BSA	500.8



2000 x 1400 Starter workbench with MDF worktop & upper shelf unit Order code: KDB2048A + PICTURED ACCESSORIES USS235 2000mm Upper Shelf

Certain benches within the range are designed to accommodate two or more persons working together. With this in mind the upper shelf unit is accessible from both sides.

Benches (30mm Veneer Worktop)

All benches ar	e 840mm hig	h as standard.	
L x W (mm)	Description	Code	£
2000 x 700	Starter	KDB2078B	461.94
2000 x 700	Starter & Base	KDB2078BSB	496.27
2000 x 1200	Starter	KDB2028B	529.27
2000 x 1200	Starter & Base	KDB2028BSB	602.52
2000 x 1400	Starter	KDB2048B	649.73
2000 x 1400	Starter & Base	KDB2048BSB	719.66
3000 x 700	Starter	KDB3078B	651.17
3000 x 700	Starter & Base	KDB3078BSB	733.55
3000 x 1200	Starter	KDB3028B	846.22
3000 x 1200	Starter & Base	KDB3028BSB	948.15
3000 x 1400	Starter	KDB3048B	955.88
3000 x 1400	Starter & Base	KDB3048BSB	1,127.10
2000 x 700	Add-On	KDA278B	420.73
2000 x 700	Add-On & Base	KDA278BSB	452.77
2000 x 1200	Add-On	KDA228B	463.33
2000 x 1200	Add-On & Base	KDA228BSB	538.12
2000 x 1400	Add-On	KDA248B	596.63

2000 x 1400

Benches (30mm Lino Worktop)

are 840mm high as standard.				All benches ar	e 840mm hig	h as standard.	
)	Description	Code	£	L x W (mm)	Description	Code	£
	Starter	KDB2078B	461.94	2000 x 700	Starter	KDB2078C	462.03
	Starter & Base	KDB2078BSB	496.27	2000 x 700	Starter & Base	KDB2078BSC	510.40
	Starter	KDB2028B	529.27	2000 x 1200	Starter	KDB2028C	626.87
	Starter & Base	KDB2028BSB	602.52	2000 x 1200	Starter & Base	KDB2028BSC	695.63
	Starter	KDB2048B	649.73	2000 x 1400	Starter	KDB2048C	659.33
	Starter & Base	KDB2048BSB	719.66	2000 x 1400	Starter & Base	KDB2048BSC	768.00
	Starter	KDB3078B	651.17	3000 x 700	Starter	KDB3078C	701.31
	Starter & Base	KDB3078BSB	733.55	3000 x 700	Starter & Base	KDB3078BSC	799.85
	Starter	KDB3028B	846.22	3000 x 1200	Starter	KDB3028C	979.94
	Starter & Base	KDB3028BSB	948.15	3000 x 1200	Starter & Base	KDB3028BSC	1,098.60
	Starter	KDB3048B	955.88	3000 x 1400	Starter	KDB3048C	1,168.28
	Starter & Base	KDB3048BSB	1,127.10	3000 x 1400	Starter & Base	KDB3048BSC	1,313.12
	Add-On	KDA278B	420.73	2000 x 700	Add-On	KDA278C	442.65
	Add-On & Base	KDA278BSB	452.77	2000 x 700	Add-On & Base	KDA278BSC	487.78
	Add-On	KDA228B	463.33	2000 x 1200	Add-On	KDA228C	572.54
	Add-On & Base	KDA228BSB	538.12	2000 x 1200	Add-On & Base	KDA228BSC	636.10
	Add-On	KDA248B	596.63	2000 x 1400	Add-On	KDA248C	613.14
	Add-On & Base	KDA248BSB	656.07	2000 x 1400	Add-On & Base	KDA248BSC	704.78

Worktops

- A = 25mm thick hardwood veneer top 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 27mm thick industrial marble grey lino. 2mm vinvl surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.



All base shelves are 18mm thick plain cut MDF



13 Amp Socket Order code: LS1

Pre-punched to accommodate pipe work

4 PREMIERSHIELD If not standard, please specify colour choice at time of order

Workbench System 1000kg UDL INFINITE

Accessories

Description

Single Drawer

Two Drawer

Three Drawer

Quad Drawer

Cabinet Drawer

13 Amp Socket

2000mm Tool Rail

2000mm Light & Tool Rail

2000mm Upper Shelf Unit

3000mm Upper Shelf Unit

3000mm Service Duct (2x1500)

2000mm Accessory Post for Tool Rail AP3

2000mm Service Duct

Cabinet

Code

C1

D2

D3

D4

TR20

LTR20

USS235

USS335

SD20

SD30

£

124.08

101.44

155.41

208.18

277.28

202.31

22.64

112.07

176.48


159.29

267.73 117.21

158.57

CONVENIENCE: Each bench is supplied in flat pack form, the larger units having sectional worktops for ease of handling. Available in 2 lengths, 3 depths, and 3 worktop options. **ECONOMIC:** This system offers great economic advantages over standard workbench sizes e.g. the 3000mm x 1200mm workbench (opposite) is the equivalent working area of 4 x 1500mm x 600mm workbenches.







3000 x 1200 Starter workbench with MDF worktop. MDF base shelf and combined cabinet & drawer unit Order code: KDB3028BSA + CD1



3000 x 1200 Starter workbench with MDF worktop and MDF base shelf Order code: KDB3028BSA

3000 x 1200 Starter workbench with MDF worktop Order code: KDB3028A

Create a Run

Using the starter & extension method you can mix and match depths.

Key Features:

- Heavy duty modular design
- Starter & add-on benches
- Height adjustable from 840-940mm in 25mm increments





ECONOMY 1 Medium Duty Workbenches

Taking James Bedford Premier flat pack workbench frame and adding the standard James Bedford underbench storage units makes for a quality yet economic workbench solution. Constructed from fabricated steel section with welded leg supports and multiposition cross rail. Framework powder coated Silver Grey RAL 7001 with Sky Blue RAL 5015 doors and drawers front colour.

Workbenches L x W x D (mm) Top 1500 x 700 x 840 Veneer EW157A 345.96 1500 x 700 x 840 Lino FW157B 354 34 1500 x 700 x 840 MDF EW157C 267.37 2000 x 700 x 840 Veneer 372.53 2000 x 700 x 840 Lino EW127B 372.60 2000 x 700 x 840 MDF EW127C 267.37



Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 27mm thick industrial marble grey lino. 2mm vinyl surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.



















Drawers and Cabinets

Description	Code	£
Single Drawer	D1	101.44
Double Drawer	D2	155.41
Triple Drawer	D3	208.18
Quad Drawer	D4	277.28
Cabinet Drawer	CD1	202.31
Cabinet	C1	124.08





Mobile Medium Duty Workbenches ECONOMY 1

Take your workbench to the job with a mobile version of the economy workbench system.















1500 x 700 c/w lino worktop EW157B + D2 + PW157BM + PW4SC

Base Shelves L x W (mm) Description Code £ 1500 x 700 Base Shelf EW157BS 70.41 1500 x 700 Base Shelf/Mat EW157BM 89.52 2000 x 700 Base Shelf EW127BS 120.06 2000 x 700 Base Shelf/Mat EW127BM 165.19

Castors (Factory Fitted)

Set of 4x rubber tyred castors fitted. 2x swivel & 2x swivel braked. (300kg UDL capacity).

Diameter (mm)	Code	£
100	PW4SC	75.44

Worktops


- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 27mm thick industrial marble grey lino. 2mm vinyl surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.







Drawers and Cabinets



Description	Code	£
Single Drawer	D1	101.44
Double Drawer	D2	155.41
Triple Drawer	D3	208.18
Quad Drawer	D4	277.28
Cabinet Drawer	CD1	202.31
Cabinet	C1	124.08



ECONOMY 2 Heavy Duty Workbenches

Taking James Bedford Premier 2 heavy duty flat pack workbench frame and adding the standard James Bedford underbench storage units makes for a quality yet economic workbench solution with a weight capacity of 500kg UDL. Framework powder coated Silver Grey RAL 7001 with a Sky Blue RAL 5015 door and drawer.

Workben	iches		
L x W x D (mm)	Тор	Code	£
1500 x 700 x 840	Veneer	EW257A	328.56
1500 x 700 x 840	Lino	EW257B	362.13
1500 x 700 x 840	MDF	EW257C	277.91
2000 x 700 x 840	Veneer	EW227A	401.41
2000 x 700 x 840	Lino	EW227B	401.50
2000 x 700 x 840	MDF	EW227C	300.24

Accessories

ACCESSORY POSTS

EWAP1	Pair of accessory posts for con	nbi pane
	1000mm high	£55.39
EWAP2	Pair of accessory posts for con	nbi pane
	& upper shelf 1500mm high	£60.05
EWAP3	Pair of accessory posts for con	nbi pane
	& upper shelf & light 2000mm	high
		£67.81

SERVICE DUCT

EWSD15	1500mm long service duct with					
	2 x 2 13amp double sockets	£88.77				
EWSD20	2000mm long service duct v	vith				
	2 v 2 17amp double cockets	C1O 4 O				

COMBINATION BACK PANELS 450MM HIGH

EWCP15	Combination Panel 1500mm x 450mm
	£76.06
EWCP20	Combination Panel 2000mm x 450mm
	£97.65

UPPER SHELVES EWUSS15 1500mm long steel

	upper shelf	£69.31					
EWUSS20	2000mm long steel						
	upper shelf	£81.13					
LIGHT BAR WITH 1200MM STRIP LIGHT*							
EWLU15	Light bar 1500mm length	£119.99					


EWLU20 Light bar 2000mm length *All electrics are supplied unwired, for fitting by a suitably qualified electrician

Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 27mm thick industrial marble grey lino. 2mm vinyl surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.

















Height Adjustable Ergonomic Workbenches 48HA

Ideally suited to most work environments - Education, Electronics, Aerospace, Health, Light Assembly & Industrial research Laboratories etc. Frames Light Grey RAL 7035, Doors/Drawers Blue Grey RAL 7031 as standard.











Workbenches								
L x W (mm)	Тор	Code	£					
1500 x 750	18mm Laminate	48157C	689.64					
1800 x 750	18mm Laminate	48187C	690.10					
1500 x 750	18mm Lino	48157D	747.80					
1800 x 750	18mm Lino	48187D	748.82					
1500 x 750	24mm MDF	48157F	676.47					
1800 x 750	24mm MDF	48187F	676.47					
1500 x 750	18mm ESD Laminate	48157G	818.57					
1800 x 750	18mm ESD Laminate	48187G	819.80					

Drawers & Cabinets						
Description	Code	£				
Single Drawer	D1	101.44				
Double Drawer	D2	155.41				
Triple Drawer	D3	208.18				
Quad Drawer	D4	277.28				
Cabinet	C1	124.08				
Cabinet Drawer	CD1	202.31				

Accessory Posts						
Description	Code	£				
1000mm High	HAP1	60.51				
1500mm High	HAP2	64.86				
2000mm High	HAP3	75.59				

Louvered Panels							
Description	Code	£					
1500mm Length	LP15	76.43					
1800mm Length	LP18	91.77					

Steel Upper St	nelves	
Description	Code	£
1500mm Steel Upper Shelf	USS15	68.20
1800mm Steel Upper Shelf	USS18	79.74

Electrics (Unwired)								
Description	Code	£						
1500mm Light Bar	LU15	131.27						
1800mm Light Bar	LU18	136.08						
1500mm Cat2 Light Bar	CU15	202.07						
1800mm Cat2 Light Bar	CU18	203.19						
1500mm Service Duct	SD15	72.49						
1800mm Service Duct	SD18	75.99						



Medium Duty Square Tube Workbenches

The Flexistation workbench system is ideal for light assembly work or a production run. These benches arrive on site built up with above the work surface accessories supplied loose. All workbenches are 840mm high as standard, other heights are available. Frames Silver Grey RAL 7001, Doors/Drawers Sky Blue RAL 5015 as standard.

Key Features:

- SECURITY STORAGE Lockable storage cabinets and drawers to encourage an efficient workstation and workplace
- ADJUSTABLE FEET Adjustable feet supplied to correct uneven floors

1800 x 750 Laminate worktop

Square Tube Workbench Order code: 45F187C + main

PICTURED ACCESSORIES

Louvered Panel

Triple drawer C1 Cabinet AP1 Accessory posts

I P18



Worktop Options G





1800 x 750 c/w Laminate worktop Square Tube Workbench



1800 x 750 c/w Laminate worktop Square Tube Workbench with under 45F187C + C1



1800 x 750 c/w Laminate worktop Square Tube Workbench with Single Drawer & Cabinet 45F187C + D3 + C1

MD Worktops

- A = 1.5mm Steel on composite core
- B = 1.5mm Stainless steel on composite core
- C = 18mm Laminate
- D = 18mm Lino
- E = 24mm Plywood
- F = 24mm MDF
- G = 18mm ESD Laminate

Medium Duty Square Tube Workbenches 45F ORDER CODE SIZES Basic Benches* A £ 1200 x 600 x 840 45F126* 433.67 316.56 291.95 250.90 370.23 1200 x 750 x 840 45F127* 345.57 457.14 294.41 328.47 314.94 262.21 380.70 1200 x 900 x 840 45F129* 337.73 462.86 352.59 432.87 319.73 325.42 266.23 1500 x 600 x 840 45F156* 348.64 467.73 304.11 364.29 357.55 395.89 280.09 1500 x 750 x 840 45F157* 366.48 321.48 371.93 389.31 302.31 1500 x 900 x 840 45F159* 369.70 469.48 359.00 393.56 390.88 1800 x 600 x 840 45F186* 370.19 329.04 367.87 469.14 1800 x 750 x 840 45F187* 334.21 389.24 389.29 1800 x 900 x 840 45F189* 395.95 500.85 396.46 421.34 396.21 324.67 558.67

^{*}choose a worktop and add A, B, C, D, E, F, G, denoting which you require



Medium Duty Cantilever Workbenches 46M

The Maxistation workbench system is ideal for light assembly work or a production run. These benches are designed to optimise space under the work surface, especially when used by seated operators. All workbenches are 840mm high as standard, other heights are available. Frames Silver Grey RAL 7001, Doors/Drawers Sky Blue RAL 5015 as standard.

1800 x 750 c/w Laminate worktop

Cantilever Workbench with sloping

fronted service duct unwired

46M187C + SD18



Key Features:

- SECURITY STORAGE Lockable storage cabinets and drawers to encourage an efficient workstation and workplace
- ADJUSTABLE FEET Adjustable feet supplied to correct uneven floors

1800 x 750 ESD Laminate worktop

Square Tube Workbench Order code: 46M187G +

PICTURED ACCESSORIES

Triple drawer Combination panel SD18 Sloping fronted rear service duct unwired AP3 Accessory posts

USS18 Upper shelf


LU18 Light bar + 1200mm fluorescent light



Worktop Options G

MD Worktops

- A = 1.5mm Steel on composite core
- B = 1.5mm Stainless steel on composite core
- D = 18mm Lino
- E = 24mm Plywood
- F = 24mm MDF
- G = 18mm ESD Laminate



Medium Duty Cantilever Workbenches 46M SIZES ORDER CODE F£ L x W x D (mm) Basic Benches* 1200 x 600 x 840 46M126* 493.53 334.16 357.22 331.91 305.87 360.35 1200 x 750 x 840 46M127* 374.56 496.70 348.81 372.02 355.25 309.04 1200 x 900 x 840 46M129* 382.32 499.87 378.77 396.68 366.07 312.21 489.69 1500 x 600 x 840 46M156* 389.95 524.11 355.83 402.17 392.69 315.53 1500 x 750 x 840 46M157* 410.06 380.79 411.36 1500 x 900 x 840 46M159* 417.04 527.40 428.71 435.84 1800 x 600 x 840 46M186* 409.16 399.89 1800 x 750 x 840 46M187* 418.19 390.07 422.86 1800 x 900 x 840 46M189* 428.09 544.10 453.84 456.46 426.98 354.89 600.10

*choose a worktop and add A, B, C, D, E, F, G, denoting which you require

1800 x 750 c/w Laminate worktop

Cantilever Workbench

46M187C



Medium & Heavy Duty Workbenches

A comprehensive range of fully welded angle iron construction workbenches with a variety of worktop options and accessories. All workbenches are 840mm high as standard, other heights available. Popular models - available in all sizes from 1200mm long x 600mm wide to 1800mm long x 900mm wide. Frames Silver Grey RAL 7001, Doors/Drawers Sky Blue RAL 5015 as standard.

1800 x 750 c/w Laminate worktop

Order code MD: 40187C +

PICTURED ACCESSORIES

Single drawer

Cabinet

SD18 Sloping fronted rear service duct unwired

Accessory posts

LP18 Louvered panel

USS18 Upper shelf LU18 Light bar



Worktop Options G



MD: 38187 + BS18 + D1 + C1 + SL18 HD: 42187 + BS18 + D1 + C1 + SL18

B = 1.5mm Stainless steel on composite core

Medium Duty Workbenches (500kg UDL)

1800 x 750 c/w Steel workton

MD: SDC 38187

HD: SDC 42187

A = 1.5mm Steel on composite core Welded construction from 40 x 40 x 4mm angle iron with 2 pairs of leg supports with single bottom mounted cross rail. **ORDER CODES**

1800 x 750 x 840 38187

1800 x 900 x 840 38189

	L x W x D (mm)	2mm Steel Top	£	Wood Top*	Α£	Β£	C£	D£	Ε£	F£	G£
5	1200 x 600 x 840	38126	249.87	40126*	339.97	436.89	282.77	337.09	312.05	286.09	375.69
	1200 x 750 x 840	38127	261.96	40127*	343.17	454.17	304.04	353.20	334.61	293.29	387.80
2	1200 x 900 x 840	38129	264.67	40129*	356.69	465.03	337.34	384.59	349.75	301.88	448.24
	1500 x 600 x 840	38156	266.20	40156*	371.88	480.20	310.63	394.93	379.91	314.16	394.63
	1500 x 750 x 840	38157	274.96	40157*	381.94	490.52	334.91	408.51	412.75	307.69	461.37
	1500 x 900 x 840	38159	283.71	40159*	388.58	499.27	382.16	427.94	418.47	330.53	480.57
_	1800 x 600 x 840	38186	282.74	40186*	392.90	492.02	341.01	395.79	397.90	332.16	470.53

HD Worktops

G = 18mm ESD Laminate

MD Worktops

C = 18mm Laminate


D = 18mm Lino E = 24mm Plywood F = 24mm MDF

3mm Steel

A = 24mm MDF B = 24mm Plywood

C = 36mm Plywood

D = 30mm Beech Hardwood



Heavy Duty Workbenches (1000kg UDL)

Welded construction from $50 \times 50 \times 5mm$ angle iron with 2 pairs of leg supports with single bottom mounted cross rail.										
SIZES ORI	SIZES ORDER CODES ORDER CODES									
L x W x D (mm)	3mm Steel Top	£	Wood Top*	Α£	Β£	C£	D£			
1200 x 600 x 840	42126	283.26	44126*	296.51	325.59	351.97	P.O.A			
1200 x 750 x 840	42127	293.87	44127*	308.76	347.00	399.34	P.O.A			
1200 x 900 x 840	42129	307.33	44129*	316.28	362.30	421.32	P.O.A			
1500 x 600 x 840	42156	302.94	44156*	312.68	360.19	423.35	P.O.A			
1500 x 750 x 840	42157	315.36	44157*	331.05	423.60	509.36	P.O.A			
1500 x 900 x 840	42159	327.79	44159*	338.60	428.71	512.80	P.O.A			
1800 x 600 x 840	42186	330.66	44186*	328.58	375.55	432.27	P.O.A			
1800 x 750 x 840	42187	344.87	44187*	347.03	436.70	527.20	P.O.A			
1800 x 900 x 840	42189	359.05	44189*	356.17	442.30	530.64	P.O.A			



1800 x 750 c/w MDF worktop

1800 x 750 c/w MDF worktop

MD: 40187F + BS18 + D2 + C1 HD: 44187A + BS18 + D2 + C1

1800 x 750 c/w Steel workton

MD: 38187 + C1 + D3

HD: 42187 + C1 + D3

ORDER CODES

40187* 389.70 500.39 348.71 419.73 423.24 336.31 475.58

302.76 40189* 395.39 509.25 410.16 451.00 425.61 337.55 556.41

MD: 40187F + BS18

HD: 44187A + BS18

Extra Heavy Duty Large Workbenches

Ideal for an engineering environment. These benches are of fully welded rugged construction, designed to take the everyday knocks of the industrial workplace. All workbenches are 840mm high as standard, other heights available. Frames Silver Grey RAL 7001, Doors/Drawers Sky Blue RAL 5015 as standard.



Extra Heavy Duty Workbenches (1500kg UDL)

Welded construction from 50 x 50 x 5mm angle iron leg supports 3 pairs supplied.

SIZES	ORDER COL	DES	•	OF	RDER CODES	6	
L x W x D (mm)	3mm Steel Top	£	Wood Top*	Α£	Β£	C£	D£
1800 x 750 x 840	42287	466.93	44287*	445.32	543.36	672.79	P.O.A
1800 x 900 x 840	42289	487.20	44289*	446.69	552.65	683.73	P.O.A
2000 x 750 x 840	42227	491.48	44227*	463.79	557.28	714.93	P.O.A
2000 x 900 x 840	42229	513.10	44229*	471.33	576.92	725.92	P.O.A
2400 x 750 x 840	42247	P.O.A	44247*	P.O.A	P.O.A	P.O.A	P.O.A
2400 x 900 x 840	42249	P.O.A	44249*	P.O.A	P.O.A	P.O.A	P.O.A
2400 x 1200 x 840	42242	P.O.A	44242*	P.O.A	P.O.A	P.O.A	P.O.A
3000 x 750 x 840	42237	P.O.A	44237*	P.O.A	P.O.A	P.O.A	P.O.A
3000 x 900 x 840	42239	P.O.A	44239*	P.O.A	P.O.A	P.O.A	P.O.A
3500 x 750 x 840	42257	P.O.A	44257*	P.O.A	P.O.A	P.O.A	P.O.A
3500 x 900 x 840	42259	P.O.A	44259*	P.O.A	P.O.A	P.O.A	P.O.A

*when choosing a wooden top add A. B. C or D to order code, depending which finish you require

HD Worktops

3mm Steel A = 24mm MDF

B = 24mm Plywood

C = 36mm Plywood


Single Drawer

Double Drawer

Triple Drawer Quad Drawer

Cabinet Drawe Cabinet

D = 30mm Beech Hardwood



Drawers and Cabinets

101.44

155.41

208.18

277.28

202.31

124.08

D1

D2

D3

D4

CD1

C1



PREMIERSHIELD
anti-bacterial powder coating system
If not standard, please specify colour choice at time of order

Workbench Accessories

A comprehensive range of accessories for storage above and below the work surface. Workbench accessories are factory fitted and not for retro-fit. Above worksurface accessories are supplied detached for transportation purposes.



Code	Length (mm)	£			
BS12	1200	59.12			
BS15	1500	68.24			
BS18	1800	73.56			
Base shelves are 1.2mm thick steel sheet.					



Drawers	- 25kg UDL	
Code	Description	£
D1	Single drawer	101.44
D2	Double drawer	155.41
D3	Triple drawer	208.18
D4	Quad drawer	277.28
C1*	Cabinet:	124.08
C1	C1 Cabinet Size - External D450 x W450 x H600mm	
CD1*	Cabinet drawer:	202.3
CD1	C1 Cabinet Size - External D450 x W450 x H600mm Drawer Size - Internal D420 x W355 x H100mm	

Castor	S	
Code	Description	£
C100	v 4 100mm	77.0

*Includes shelf

KBMA1




Couc	Description	_
SL12	Retaining lip for 3 sides for 1200mm long bench	42.99
SL15	Retaining lip for 3 sides for 1500mm long bench	43.87
SL18	Retaining lip for 3 sides for 1800mm long bench	51.91



Keyboard monitor arm



Sloping fronted	rear service duct unwired						
Code	Length (mm)	£					
SD12	1200	68.60					
SD15	1500	72.49					
SD18	1800	75.99					
Supplied unwired, for fitting by a suitably qualified electrician.							



-	100	-	-	- 77	2	- 5	10	- 3	-	20-	-
٦	-	٦	1		1_		-		1	1	
٦	£		1		-		1		-	1	
	1	٦.	1		į.		1		-	-	

Code							Length (mm)								£			
LP	12					12	00									66	5.57	,
LP	15					15	00									76	.43	5
LP	18					18	00									91	.77	
19		6-6	6	P	P	n	(2)	m	143		n	n	n	61	ri.	671	n	
Ţ	_ D_	rfc	- orc	− te	- -	_ Р	 	_ าe	- ls	*								

		0.0	
Perfora	ted Panels*		
Code	Length (mm)		£
TP12	1200		66.5
TP15	1500		76.43
TP18	1800		91.77

Combi-Panels*					
Code	Length (mm)	£			
CP12	1200	66.57			
VP	1500	76.43			
VP	1800	91.77			
Vices					
Code	Description	£			

Vice Pl	late	
Code	Description	£
VP	Vice plate	25.96

150mm Engineers



Code	Length (mm)	£			
USS12*	1200	60.79			
USS15*	1500	68.20			
USS18*	1800	79.74			
*Upper shelves are 2mm thick steel.					

-
Light Bars***

Code	Length (mm)	£
LU12	1200	129.64
LU15	1500	131.27
LU18	1800	136.08
Supplied unwire	ed, for fitting by electrician	٦.

Louvered Category 2 Light Unit***				
Code	Length (mm)	£		
CU12	1200	201.24		
CU15	1500	202.07		
CU18	1800	203.19		
Supplied unv	wired, for fitting by electricia	an.		



Plas	iic bins	(Per Po	CK)		
Code	L (mm)	W (mm)	D (mm)	£	QTY
BB2	165	100	75	52.38	20
BB3	240	150	125	56.43	10
BB4	355	200	125	68.36	10
BB5	355	200	175	88.99	10
Minimous		a CEO nat	If and and a		6

Minimum order value £50 net. If ordered separately from a workbench please add £15 carriage

Workbench Options

Medium & heavy duty workbenches are available in the following options, please add:

Code	Description	£
SDC	Sliding Door	443.56
FP	Flat Pack	42.93

*ACCESSORY POSTS REQUIRED

* AP1 Required

143.58

** AP2 Required *** AP3 Required



Timber Workbenches

Workbenches

A robust and durable workbench constructed to a very high standard. A large choice of sizes, worktop options and accessories make it ideal for a range of applications. Protective hardwood feet supplied as standard on all benches. Build your own workbench by using the basic flat-topped bench, with the choice of three work surface options and any combination of the accessories below. Finished with 2 coats of clear lacquer.



1800 x 750 c/w hardwood worktop Order code: BET082 + BET010 Cupboard BET011 Drawer **BET029 Bottom Shelf BET016 Record Vice BET022 Back Panel** BET013 Tool Rack BET013 Tool Rack

Key Features:

- All benches are 850mm high as standard
- Choice of worktops to suit all applications
- Adjustable foot to allow for uneven floors
- A robust and durable softwood framed timber workbench constructed to a very high standard that is practical and attractive
- in industry, commerce, building trade and education





Back Lip Tool Rack 18mm Plywood 6 Slot - Back Panel or Side Mounted



Prevents work in progress moving



Record Vice 175mm Jaws (Factory fitted only)



Back Panel 305mm High



Security Cupboard Left or Right Positioning. Lockable



Saw Rack Left or Right Mounted



Cupboard/Drawer

L x D (mm)	Тор	Code	£
1200 x 750	Plywood	BET001	499.5
1200 x 750	Lino	BET067	586.8
1200 x 750	Hardwood	BET076	685.5
1200 x 900	Plywood	BET002	554.8
1200 x 900	Lino	BET068	645.5
1200 x 900	Hardwood	BET077	753.6
1200 x 1200	Plywood	BET003	610.28
1200 x 1200	Lino	BET069	710.10
1200 x 1200	Hardwood	BET078	829.5
1500 x 750	Plywood	BET004	553.5
1500 x 750	Lino	BET070	645.5
1500 x 750	Hardwood	BET079	754.10
1500 x 900	Plywood	BET005	610.28
1500 x 900	Lino	BET071	710.10
1500 x 900	Hardwood	BET080	829.5
1500 x 1200	Plywood	BET006	671.31
1500 x 1200	Lino	BET072	781.13
1500 x 1200	Hardwood	BET081	912.45
1800 x 750	Plywood	BET007	610.28
1800 x 750	Lino	BET073	710.31
1800 x 750	Hardwood	BET082	829.5
1800 x 900	Plywood	BET008	671.31
1800 x 900	Lino	BET074	781.13
1800 x 900	Hardwood	BET083	912.45
1800 x 1200	Plywood	BET009	738.4
1800 x 1200	Lino	BET075	859.2
1800 x 1200	Hardwood	BET084	1,003.6

Bottom Shelf (Factory Fitted) L x D (mm) Code BET023 70.25 1200 x 750 73.77 1200 x 900 BET024 1200 x 1200 BET025 77.44 1500 x 750 BET026 85.15 1500 x 900 BET027 88.00 1500 x 1200 BET028 90.85 BET029 93.69 1800 x 750 BET030 96.54 1800 x 900 1800 x 1200 BET031

Please note carriage charge will be applicable to orders under £1,000.

Accesories (Factory Fitted)								
Description	Code	£	Description	Code	£	Description	Code	£
Cupboard Unit	BET010	230.30	Plane Stop	BET015	42.15	Back Panel L1200mm	BET020	62.16
Drawer Unit	BET011	272.35	Record Vice	BET016	270.08	Back Panel L1500mm	BET021	74.96
Security Cupboard	BET012	191.20	Back Lip L1200mm	BET017	38.26	Back Panel L1800mm	BET022	87.73
Tool Rack	BET013	27.34	Back Lip L1500mm	BET018	49.88			
Saw Rack	BETO14	15 47	Back Lin L1800mm	RFT019	61 52			



Premier Modular Pedestal Workbenches

Flat pack modular workbench system offering a variety of storage and workspace solutions. Leg frames are constructed from fabricated steel section to bolt to the worktop. 650mm high Premier units are mounted on 150mm high steel plinths. All cabinets are lockable and contain 1 adjustable shelf. All drawers are mounted on precision ball bearing telescopic slides offering a 40kg (UDL) capacity. Silver Grey RAL 7001 Frames with Traffic Red RAL 3020 Doors/Drawers.

Workbenches 1500mm Length x 600mm Wide Lino Top Combination PLU600+PPC1+W56B 445.39 PLU600+PPC2+W56B Model 2 492.30 PLU600+PPC4+W56E Model 3 595.10 PPC4+PPC1+W56B Model 4 754.17 PPC4+PPC4+W56B Model 5 905.10 PPC4+PPC2+W56B 782.82 Model 6 PPC2+PPC2+W56B 669.30 Model 7 PPC4+PPC4+PPC4+W56B Model 8 1,307.81 PPC2+PPC2+PPC4+W56B Model 9 1,023.39 3000mm Length x 600mm Wide Lino Top

PPC1x2+PPC2x2+PPC4x2+W56Bx2		Model 11	1,929.95
Worktops			
H x W x D (mm)	Тор	Code	£
27 x 1500 x 600	Veneer	W56A	114.26
27 x 2000 x 600	Veneer	W26A	124.59
27 x 1500 x 600	Lino	W56B	167.52

W26B

176.22

PPC1+PPC4+PPC2+W56B+W56B Model 10 1,110.23

Accessories				
H x W x D (mm) Description	Code	£		
800 x N/A x 500 Leg Unit	PLU600	75.14		
800 x 500 x 500 Cabinet	PPC1	227.46		
800 x 500 x 500 Cabinet/Drawer	PPC2	274.73		
800 x 500 x 500 4 Drawer Unit	PPC4	40815		







PPC4 + PPC4 + W56B





PPC4 + PPC2 + W56B

Create a Run

27 x 2000 x 600 Lino

Choose your size, storage option, worktop and go. All benches are 830mm high.





Premier Trolleys

Based on the popular Premier storage units mounted on 4 x 100mm diameter blue polyurethane swivel tyred castors (2 braked). Welded and riveted construction from 0.9mm thick sheet steel. All cabinets are lockable and contain 1 adjustable shelf. All drawers are mounted on precision ball bearing telescopic slides offering a 40kg (UDL) capacity. Overall size: 1050mm Length x 600mm Width x 835mm (approx.) High. Silver Grey RAL 7001 carcase with Traffic Red RAL 3020 door/drawer colour.



Trolleys			
L x W x D (mm)	Code	Тор	£
1050 x 600 x 835	PT1A	25mm Plywood	571.92
1050 x 600 x 835	PT1B	25mm Plain MDF	544.16
1050 x 600 x 835	PT2A	25mm Plywood	658.13
1050 x 600 x 835	PT2B	25mm Plain MDF	638.10
1050 x 600 x 835	PT3A	25mm Plywood	898.84
1050 x 600 x 835	PT3B	25mm Plain MDF	883.23
1050 x 600 x 835	PT4A	25mm Plywood	636.36
1050 x 600 x 835	PT4B	25mm Plain MDF	601.30
1050 x 600 x 835	PT5A	25mm Plywood	748.14
1050 x 600 x 835	PT5B	25mm Plain MDF	720.76
1050 x 600 x 835	PT6A	25mm Plywood	803.94
1050 x 600 x 835	PT6B	25mm Plain MDF	775.14











General Purpose & Maintenance Trolleys

This extensive range of general purpose trolleys is of fully welded construction, with tubular end frames. Overall 1060mm long x 460mm wide x 950mm high including 100mm diameter swivel castors. The work surface, base and intermediate shelves can be supplied with edges lipped down if required (to be specified at time of ordering). Sky Blue RAL 5015.

Trolleys		
L x W x H (mm)	Code	£
1060 x 460 x 950	GP1	206.09
1060 x 460 x 950	GP2	359.45
1060 x 460 x 950	GP3	229.22
1060 x 460 x 950	GP4	401.64
1060 x 460 x 950	GP5	498.95
1060 x 460 x 950	MT3	334.60
1060 x 460 x 950	MT3D	433.83

As Standard

All trolleys are supplied with all swivel 100mm castors offering a carrying capacity of 200kg (UDL). Rubber tyred castors offer a capacity of 150kg (UDL).

Shelves

Trolley shelves are supplied lipped up 30mm as standard to all 4 sides except GP5 which are lipped down.

Colour Options

Supplied in Sky Blue RAL 5015 with cabinet doors in Light Grey RAL 7035, other options available.

Options & Accessories (Factory Fitted)

Description	Code	£
Braked Castors (pair)	BC	25.10
Rubber Mat	RM	15.59
Plastic Tray	PT	34.29
Rubber Tyred Castors	RTC	30.85

If ordered separately from a trolley please add £15.00 carriage.













Medical Trolleys

Welded construction with tubular end frames. All medical trolleys are supplied with all swivel 100mm rubber tyred castors offering a UDL capacity of 150kg. Trolley shelves are supplied with 30mm retaining lip to all 4 sides. Powder coated Signal White RAL 9003 and supplied with appropriate warning label.



Trolleys			
L x W x D (mm)	Code	Description	£
460 x 460 x 950	HP1FA	Two Tier	199.43
460 x 460 x 950	HP3FA	Three Tier	215.09
1060 x 460 x 950	GP1FA	Two Tier	213.73
1060 x 460 x 950	GP3FA	Three Tier	234.16
1060 x 460 x 950	GP4FA	Full Area Cupboard	410.39

SEE FIRST AID STORAGE CABINETS ON PAGE 21













Medium Duty Cabinets 88 SERIES

Of welded construction in 0.9mm steel sheet with reinforced doors secured by 3 way locking chrome lever handle. The units are supplied with adjustable internal shelves. Shelf capacity 75kg UDL finished Silver Grey RAL 7001 with doors Sky Blue RAL 5015.

Cabinets				
H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88W733	1	1	143.12
610 x 459 x 459	88W644	1	1	162.85
915 x 459 x 459	88W944	1	1	178.66
1830 x 459 x 459	88W844	3	1	272.10
610 x 610 x 305	88W663	1	2	185.72
712 x 915 x 305	88W793	1	2	244.83
712 x 915 x 459	88W794	1	2	253.41
915 x 915 x 459	88W994	1	2	266.80
1220 x 915 x 459	88W294	2	2	317.42
1525 x 915 x 459	88W594	3	2	338.31
1830 x 915 x 459	88W894	3	2	350.24
1830 x 915 x 459	88W894F	R 3	2	385.05
1830 x 915 x 459	88W894L	_ 2	2	373.82
1830 x 915 x 459	88W8949	5 1	2	340.11
1830 x 1220 x 459	88W824	3	2	429.85

88W663 & 88W793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.

Extra Sherves				
W x D (mm)	Code	£		
355 x 305	88ES33W	19.58		
459 x 459	88ES44W	20.57		
610 x 305	88ES63W	20.08		
915 x 459	88ES94W	24.58		
1220 x 459	88ES24W	28.45		

If ordered separately from a cabinet please add £15.00 carriage.

Floor Stands (450mm High)

H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88WFS2	88W644, 944	77.78
450 x 915 x 459	88WFS3	88W794, 994, 294	88.79

Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted. 2x fixed & 2x swivel braked. Not an option on 1830 cabinets.


Diameter (mm)	Code	±
125	C125	83.61



Plast	ic	Bins	(Per Po	ack)
~ a d a		(\A/ (mama)	D (mama)

Code	L (mm)	W (mm)	D (mm)	£	QTY
BB2	165	100	75	52.38	20
BB3	240	150	125	56.43	10
BB4	355	200	125	68.36	10
BB5	355	200	175	88.99	10

Minimum order value £50 net. If ordered separately from a workbench please add £15 carriage



88 SERIES **Medium Duty Cabinets**

88W894

Key Features:

- Welded Construction
- Adjustable Shelves
- 3 Way Locking Chrome Lever Handle
- Reinforced Doors





Premier BDU Desk Units 88 SERIES

Welded and riveted construction from 0.9mm thick sheet steel, with a 3 way locking chrome lever handle. Contains 1 x 75kg (UDL) adjustable shelf and drawers mounted on 40kg full capacity extension runners. Silver Grey RAL 7001 carcase with choice of door/drawer colour.



Desk Units			
H x W x D (mm)	Code	Shelves	£
1205/1105 x 915 x 459	88BDU1	1	329.6
1205/1105 x 915 x 459	88BDU2	1	340.3

BASE CABINET

915mm High x 915mm Wide x 459mm Depth

Medium Duty Cabinets 88 SERIES









Code

£

Beuro Modular Cabinets & Drawers 88 SERIES

A versatile modular system that can be supplied as single items or as a full system. All cabinets have reinforced doors and adjustable shelves (capacity 75kg per shelf UDL). Drawers have a capacity of 25kg (UDL), have an internal height of 100mm and are 3/4 extension.

Standard finish is Silver Grey RAL 7001 with doors or drawers in Sky Blue RAL 5015.

Cabinet - No. 1 H900 x W500 x D500 (mm) Description 184 40 1 door 2 shelves 88955/ 1 door 1 deep drawer 1 shelf 88955B 232.00 1 door 2 drawers 1 shelf 278.82 352.99 Bank of 8 drawers non locking 889550 372.62 Bank of 8 drawers central locking 88955E 500mm wide shelf* 21.55 *If ordered separately from a cabinet please add £15.00 carriage.

Cabinet - No.2					
H900 x W1000 x D500 (m Description	nm) Code	£			
2 doors 2 shelves	88915B	281.74			
2 sliding doors 2 shelves	88915C	325.95			
Bank of 8 drawers non locking	88915D	476.67			
Bank of 8 drawers central locking	g 88915E	483.12			
1000mm wide shelf*	88ES1	25.55			
Cabinet - No.	3				

H1200 x W1000 x D500(i		
Description	Code	£
2 doors 2 shelves	88215A	306.20
2 sliding doors 2 shelves	88215C	367.52
1000mm wide shelf*	88ES1	25.55

Cabinet - No.4						
H1800 x W1000 x D500 (m Description	nm) Code	£				
2 doors 3 shelves	88815A	391.07				
2 door louvered panel	88815B	405.43				
2 sliding doors 3 shelves	88815C	462.63				
2 doors, 1/2 louvered, 2 drawers	88815D	473.81				
2 doors, 1/2 louvered, 6 drawers	88815E	679.36				
Perforated Doors*						
1000mm wide shelf*	88ES1	25.55				
Also available						



Plastic	Bins	(Per	Pack)	

Code	L (mm)	W (mm)	D (mm)	£	QTY
BB2	165	100	75	52.38	20
BB3	240	150	125	56.43	10
BB4	355	200	125	68.36	10
BB5	355	200	175	88.99	10

Minimum order value £50 net. If ordered separately from a workbench please add £15 carriage





Key Features: CONSTRUCTION

MODULAR SYSTEM

and drawer units.

workspace.

Welded construction from 0.9mm thick sheet steel

A flexible solution to suit your

Metric range of cabinets

No. 4 88815E





Cabinets

H x W x D (mm)

Mesh Door Cabinets 88 SERIES

Visibility of controlled stock without compromising security. Suitable for most working environments to store PPE, Tools, Manual & Computer peripherals etc. Standard finish is Silver Grey RAL 7001 with Sky Blue RAL 5015 doors.



Key Features:

• SEEN, SAFE & SECURE Welded construction from 0.9mm thick steel with for visibility and ventilation





Description Code 39.37 915mm high mesh side panels 9MSP 62.14 1830mm high mesh side panels 8MSP 459mm wide sloping top 4WST 48.54 915mm wide sloping top 9WST 64.53 459mm wide raised leg supports 4RLS 52.64 915mm wide raised leg supports 9RLS 56.79



Key Features:

The 1830mm high x 915mm width x 459mm depth models have a choice of internal accessories including:

- 3 adjustable shelves
- 2 adjustable shelves & half louvered
- 3 half adjustable shelves, hanging rail & centre divider
- Silver Grey RAL 7001 carcase with door colour Sky Blue RAL 5015



84 SERIES Sliding Mesh Door Cabinets

Visibility of controlled stock, for use in industrial and commercial applications. Keeps aisle space clear. Welded construction from 0.9mm thick steel. Maximum view mesh doors with 75kg capacity (UDL) adjustable shelves. Silver Grey RAL 7001 carcase with Sky Blue RAL 5015 doors as standard.

LAUG DIETVES	(1 actory	I IIIea)
W x D(mm)	Code	£
915 x 460	84ES94	30.37
1220 x 460	84ES24	36.51
1830 x 460 (factory fit only)	84ES84	42.18

Fytra Shalvas (Factory Fittad)

*If ordered separately from a cabinet please add £15.00 carriage.









capacity (UDL) THIS MODEL ONLY

84 SERIES Sliding Door Cabinets

50kg shelf

The perfect storage solution when space is a valuable commodity and should be utilised to its maximum, keeping aisles clear. Ideal for commercial or industrial applications. Welded construction from 0.9mm thick steel. Reinforced doors with 75kg capacity (UDL) adjustable shelves. Silver Grey RAL 7001 carcase with Sky Blue RAL 5015 doors as standard.

Sliding Door Cabinets				
H x W x D (mm)	Code	Shelves	£	
1830 x 915 x 460	84894	3	437.49	
1830 x 1220 x 460	84824	3	497.75	
1020 x 1220 x 460	84024	2	392.27	
1020 x 1830 x 460	84084	2	516.07	

Extra Snerves	(Factory Fitte	ed)
W x D (mm)	Code	£
915 x 460	84ES94	30.37
1220 x 460	84ES24	36.51

*If ordered separately from a cabinet please add £15.00 carriage.

Key Features:

1830 x 460 (factory fit only) 84ES84

- Welded construction
- Space saving
- Industrial & commercial application





Viewcab Visible Storage Cabinets 88 SERIES

A range of sheet steel cabinets suitable for most working environments e.g, Offices, Museums, Laboratories, Schools, Factories etc. Available with doors with maximum area viewing panels in laminated safety glass or polycarbonate. Cabinets available with steel adjustable shelves (capacity 75kg per shelf UDL). Full choice of colours available.





Cabinets H x W x D (mm) Code £ Code £ 3 steel shelves Glass Polycarbonate 1830 x 1220 x 460 88V824G 659.30 88V824P 677.54 3 steel shelves Glass Polycarbonate 1830 x 915 x 460 88V894G 557.96 88V894P 574.96 2 steel shelves Glass Polycarbonate

915 x 915 x 460 88V994G 429.98 88V994P 433.17 2 steel shelves Glass Polycarbonate 915 x 460 x 460 88V944G 347.37 88V944P 333.54

Wall Cabinet HxWxD(mm) Code £ Code

2 steel shelves	Glass		Polycarbo	nate
712 x 915 x 300	88V793G	396.22	88V793P	375.8

Split Viewcab

H x W x D (mm)	Code	£	Code	£

 Glass
 Polycarbonate

 1830 x 915 x 460
 88S894G
 720.39
 88S894P
 745.12

Top half with glass doors & 2 glass shelves, base has steel doors with 2 steel shelves.

Steel Extra Shelves

W x D (mm)	Code	£
460 x 460	88ES44V	20.81
915 x 460	88ES94V	24.40
1220 x 460	88ES24V	29.15

*If ordered separately from a cabinet please add £15.00 carriage.

Features & Options

Full area viewing panel available in 6mm laminated safety glass (BS6206) or tough polycarbonate to view your display without compromising security.

Two way locking handle with semi concealed internal mechanism.

Key Features:

SEEN, SAFE & SECURE
 A range of sheet steel cabinets
 suitable for your working environment.

*See page 71 for available colours



80 SERIES Heavy Duty Cabinets

Heavy duty welded construction from 1.2mm thick steel sheet with reinforced double doors mounted on full length hinges and secured by 3 way locking flush fitting non snag handle. All cabinets have adjustable shelves with 100kg UDL capacity. 900mm & 1200mm high cabinets have 2 shelves, 1500mm and 1800mm have 3 shelves. Cabinets Silver Grey RAL 7001 with Sky Blue RAL 5015 doors as standard.

Cabinets - 80 S	Series	
H x W x D (mm)	Code	£
900 x 900 x 450	80994	340.97
900 x 900 x 600	80996	361.33
900 x 1200 x 450	80924	377.55
900 x 1200 x 600	80926	411.25
1200 x 900 x 450	80294	385.17
1200 x 900 x 600	80296	409.08
1200 x 1200 x 450	80224	431.24
1200 x 1200 x 600	80226	465.22
1500 x 900 x 450	80594	441.06
1500 x 900 x 600	80596	469.57
1500 x 1200 x 450	80524	495.16
1500 x 1200 x 600	80526	538.58
1800 x 900 x 450	80894	471.11
1800 x 900 x 600	80896	519.85
1800 x 900 x 900	80899	665.23
1800 x 1200 x 450	80824	581.40
1800 x 1200 x 600	80826	613.73
1800 x 1200 x 900	80829	765.70



81 SERIES Heavy Duty Mobile Cabinets

Mobile Cabinets	- 81 Series	
H x W x D (mm)	Code	£
900 x 900 x 450	81994	423.58
900 x 900 x 600	81996	464.22
900 x 1200 x 450	81924	485.33
900 x 1200 x 600	81926	509.97
1200 x 900 x 600	81296	512.52
1200 x 1200 x 600	81226	552.68
1500 x 900 x 600	81596	564.91
1500 x 1200 x 600	81526	639.05

Extra Shelves		
H x W x D (mm)	Code	£
900 x 450	80S94	31.70
900 x 600	80S96	37.77
1200 x 450	80S24	41.70
1200 x 600	80S26	41.60

*If ordered separately from a cabinet please add £15.00 carriage.

N.B. Cabinet heights do not include castors. For overall height including castors please add approx. 180mm. These cabinets offer a versatile heavy duty storage solution. Fully welded construction from 1.2mm thick steel sheet fitted with reinforced double doors mounted on heavy duty continuous hinges and secured by flush fitting non snag 3 way locking handle. Cabinet assemblies are mounted on 2 fixed and 2 swivel braked castors. All cabinets have bolt in adjustable shelves (100kg UDL). 900 and 1200mm high cabinets have 2 shelves, 1500mm have 3 shelves. Complete with end pull handle.





Morstor & Heavy Duty Security Cabinets: 82 SERIES

To help meet insurance company requirements, items of value must be locked away in a security cabinet.

MORSTOR CABINET - 82 SERIES

A high density storage cabinet Welded construction from 1.5mm (carcase) and 1.5mm (doors) thick steel with double storage doors secured by flush fitting handle. Doors mounted on heavy duty pin hinges and secured by 3 way locking handle designed to provide extra storage in various configurations with bolt in integral door shelving and 3 adjustable shelves. Supplied with adjustable feet as standard Sky Blue RAL 5015 as standard.

82215MS





SMALL WALL MOUNTED CABINETS - 82 SERIES

Of welded construction from 2mm thick steel secured by 5 lever mortise lock(s).






METRIC SECURITY CABINETS - 82 SERIES

Fully welded construction from 1.5mm (carcase) and 2mm (doors) thick steel. Reinforced double doors mounted on fully recessed hinges and secured by 3 way locking chrome lever handle and 2 five lever mortise locks. Additional security is provided by 2 tower bolts. 100kg capacity shelves. Cabinets Silver Grey RAL 7001 with doors Sky Blue RAL 5015.







Morstor - 82 Series

EXIIO SHEIVES				
H x W x D (mm)	Code	Shelves	£	
500 x 500	82S5	1	31.77	
1000 x 500	82S10	1	38.34	

Small Wall Mounted			
H x W x D (mm)	Code	Shelves	£
450 x 380 x 250	82432	1	186.26
1100 x 700 x 250	82172	2	397.7
800 x 800 x 260	82882	2	388.6

Extra Sr	Extra Shelves		
W x D (mm)	Code	Shelves	£
380 x 250	82S32	1	25.23
700 x 250	82S72	1	29.91
800 x 260	82S82	1	33.03

*If ordered separately from a cabinet please add £15.00 carriage.

Colour Options

A large range of colours is available to compliment your environment.



Flastic Dilis (Fet Fack)					
Code	L (mm)	W (mm)	D (mm)	£	QTY
3B2	165	100	75	52.38	20
3B3	240	150	125	56.43	10
3B4	355	200	125	68.36	10
3B5	355	200	175	88.99	10

Minimum order value £50 net. If ordered separately from a workbench please add £15 carriage.



90 SERIES Heavy Duty Roller Shutter Cabinets

Every workplace has to have a secure storage facility for high value items. The Heavy Duty Roller Shutter Cabinet is the answer. Colour Silver Grey RAL 7001 as standard.

Cabinets - 90 :	Series	
H x W x D (mm)	Code	£
3 adjustable shelves		
2000 x 1000 x 500	90215A	984.34
2 drawers, & 1/2 louvere	d, 1 shelf*	
2000 x 1000 x 500	90215C	1,169.33
6 drawers, & 1/2 louvere	ed, 1 shelf*	
2000 x 1000 x 500	90215D	1,443.26
Full louvered		
2000 x 1000 x 500	90215E	1,025.66
3 adjustable shelves		
2000 x 1200 x 500	90225A	1,088.94
2 drawers, & 1/2 louvere	d, 1 shelf*	
2000 x 1200 x 500	90225C	1,285.19
6 drawers, & 1/2 louvere	ed, 1 shelf*	
2000 x 1200 x 500	90225D	1,600.72
Full louvered		
2000 x 1200 x 500	90225E	1,065.55

Optional Extra	as	
Description	Code	£
Extra shelf*	90S15	37.26
Extra shelf*	90S25	48.09
*16	. 6	

*If ordered separately from a cabinet please add £15.00 carriage.





Key Features:

- 100kg Shelf Capacity
- 150mm High 40kg Capacity Drawers100kg UDL Capacity Shelves
- CURRENT USES INCLUDE:
- Tool Storage
- High Value Retail Storage
- Computer Storage
- Educational Applications



Heavy Duty Pin Locks









PREMIERSHIELD anti-bacterial powder coating system If not standard, please specify colour choice at time of order

Metric Storage Lockers

These coloured lockers are manufactured to the highest specification. Lockers are welded and riveted in construction. Semi concealed hinges are welded to the door and riveted to the frame, allowing easy replacement of doors. Doors positioned within a rebated frame to enhance compartment security. The carcass incorporates nesting holes on all sides and a return flange at the base for extra strength and to reduce floor damage. Lockers are manufactured using cold rolled steel. Material thickness specification 0.9mm doors and frame, 0.7mm carcase and shelves. Components are polyester powder coated prior to assembly to ensure all surfaces are protected. Lockers non returnable unless deemed faulty or damaged.





Single Door		
H x W x D (mm)	Code	£
1800 x 300 x 300	183030S	86.77
1800 x 300 x 450	183045S	104.06
1800 x 450 x 450	184545S	124.99

Supplied with a top shelf and double coat hook.

Two Door		
H x W x D (mm)	Code	£
800 x 300 x 300	1830302	110.13
800 x 300 x 450	1830452	121.34
800 x 450 x 450	1845452	142.29

Supplied with a top shelf and double coat hook.

Three Door		
H x W x D (mm)	Code	£
1800 x 300 x 300	1830303	120.13
1800 x 300 x 450	1830453	136.21
Supplied with no interna	al fittings.	

Four Door		
H x W x D (mm)	Code	£
1800 x 300 x 300	1830304	132.57
1800 x 300 x 450	1830454	147.44
1800 x 450 x 450	1845454	170.81

Supplied with no internal fittings.

Six Door	oor	
H x W x D (mm)	Code	£
1800 x 300 x 300	1830306	160.79
1800 x 300 x 450	1830456	172.01
Supplied with no internal	l fittings.	

EIGHT DOOL	IL DOOI	
H x W x D (mm)	Code	£
1800 x 300 x 300	1830308	192.13
1800 x 300 x 450	1830458	214.19
Supplied with no intern	al fittings.	

Minimum order value on lockers £150.00 net or carriage is applicable.

Key Features:

- Anti-Bacterial Powder Coating
- Robust Construction
- Welded Frame Design
- Metric Sized Lockers
- Lock Options
- Sloping Top Option



Ergonomic Industrial Seating

Comprehensive range of industrial chairs suitable for most working environments.



UPHOLSTERED OPERATOR Order code: UB2 430-570 gas height

Regular low lift adjustment with 5 star glide base. Shown in

hardwearing charcoal fabric.

£124.89



POLYURETHANE OPERATOR

Order code: PB2 Regular low lift 430-570 gas height adjustment with 5 star glide base.

£181.30



INDUSTRIAL CHAIRS & STOOL Order code: IB2

High lift 550-800 gas height adjustment with adjustable high foot ring and glides.

£188.48



Order code: UB2C

Low lift with castors 450-590 gas height adjustment with 5 starcastor base.

> Shown in hardwearing black vinyl.

> > £125.97



Order code: PB2C

Low lift with castors 450-590 gas height adjustment with 5 star castor base.

£181.30

Order code: AB2C Low lift with castors

450-590 gas height adjustment with 5 star castor base. Shown in

hardwearing charcoal fabric.

Order code: PB3

gas height adjustment

High lift 550-800

with 200mm high

foot ring and glides.

£191.04



Order code: IB2C

Low lift with castors 470-600 gas height adjustment with 5 star castor base.

> **High Comfort** for continuous duties.

> > £170.03



Order code: IBS

Low lift stool 550-800

gas height adjustment

with 5 star glide base.

Order code: UB3

height adjustment

with 200mm high

blue fabric.

£156.71

Order code: AB3

High lift 550-800 gas

£178.23



£206.92

Options & Accessories



UPHOLSTERED OPERATOR

Optional Arms £37.88

Charcoal, Red. Blue

Vinyl Colour Options

Fabric Colour Options

POLYURETHANE OPERATOR Optional Arms £37.88

Colour Black Polyurethane





Charcoal, Blue, Black Vinvl **INDUSTRIAL CHAIRS & STOOL**

Optional Arms £37.88

Heavy Duty Tough Cubes 18 SERIES

Welded construction from 1.2mm thick steel. Each cube is fitted with a fixed shelf and can be sited side-by-side or back-to-back to form a partition. Card holder, hasp & staple, perforated doors also available. Silver Grey RAL 7001 carcase with Sky Blue RAL 5015 doors as standard.



One Compart	ment	
H x W x D (mm)	Code	£
665 x 600 x 600	18666	167.64
Two Compart	ment	
H x W x D (mm)	Code	£
1220 x 600 x 600	18266	320.43
Three Compa	rtment	
H x W x D (mm)	Code	£
1780 x 600 x 600	18766	441.28
Options		
Description	Code	£
Perforated Door	HP18	14.00 ea
Hasp and Staple	PD18	12.00 ead









Heavy Duty Stainless Steel Workbenches & Trolleys

1,450.20

Benches		
L x W(mm)	Code	£
800 x 750 x 840	478075	455.76
1200 x 750 x 840	471275	516.52
1500 x 750 x 840	471575	571.09
1800 x 750 x 840	471875	631.57
2400 x 750 x 840	472475†	814.67

†This model has additional leg supports. 600mm and 900mm wide options are also available, POA.

Cabinets (Factory Fitted) Description Cabinet Unit SC1 293.70 612.99 800mm Full Cabinet SC08 1200mm Full Cabinet SC12 768.36 1500mm Full Cabinet 1800mm Full Cabinet SC18 997.43

2400mm Full Cabinet

Drawers (Factory Fitted)			
Description	Code	£	
Single Drawer Unit	SD1	204.28	
Double Drawer Unit	SD2	359.42	
Triple Drawer Unit	SD3	465.33	

SC24

Accessories	(Factory 1	Fitted)
Description	Code	£
800mm Base Shelf	SBS8	102.68
1200mm Base Shelf	SBS12	137.86
1500mm Base Shelf	SBS15	160.22
1800mm Base Shelf	SBS18	185.34
2400mm Base Shelf	SBS24	249.07
Louveredd Back Panel	SLP	216.10
Electrical Service Duct	SSD	185.28
Upper Shelf	SUS	228.61
Overhead Light Unit	SLU	225.71
Rear Upright Supports	SAP	161.56

Trolleys (SMT)			
L900 x W450 x H840 (mm Description	n) + Castors Code	£	
2 Tier	SMT1	595.43	
3 Tier	SMT2	699.80	
2 Tier c/w Cabinet	SMT3	868.66	
L900 x W450 x H840 (mm	n) + Castors		
2 Tier c/w Cabinet & Drawer	SMT4	975.20	

Trolleys (SMTL)			
L1200 x W550 x H840 (mm) + Castors			
Description	Code	£	
2 Tier	SMTL1	907.69	
3 Tier	SMTL2	1,165.86	
2 Tier c/w Cabinet	SMTL3	1,106.13	
2 Tier c/w Cabinet & Drawer	SMTL4	1,235.07	

Options		
Description	Code	£
Braked Castors (pair)	ВС	26.89

47 SERIES Heavy Duty Stainless Steel Workbenches

Heavy duty all stainless steel workbench units, of welded construction with 1.5mm thick 304 quality reinforced worktop with a brushed polish finish, mounted on 40mm square stainless steel tubular leg supports with plastic adjustable feet.



Heavy Duty Stainless Steel Trolleys

A range of heavy duty welded trolleys constructed throughout in 304 quality stainless steel with a brushed polish finish. The units have a 1.5mm thick worktop mounted on 40mm square tube framework complete with 100mm diameter stainless steel castors with grey non-marking tyres. Total trolley capacity of 150kg.





Stainless Steel Cabinets & Desk Units 87 SERIES

Welded and riveted construction from 304 quality stainless steel sheet with a brushed polish finish. Manufactured with reinforced doors mounted on pin hinges and secured by flush mounted three way locking handle. The cabinets fitted internally with adjustable shelves (capacity 75kg per shelf UDL).



Code	Shelves	£
87643	1	325.64
87644	1	325.64
87944	2	415.69
87944D	1 + Drawer	523.30
87844R	1 + Rail	633.04
87984	2	623.81
87284	2	729.25
87584	3	831.80
87884	3	900.64
	87644 87944 87944D 87844R 87984 87284 87584	87644 1 87944 2 87944D 1 + Drawer 87844R 1 + Rail 87984 2 87284 2 87584 3

Extra Shelves W x D (mm) Code 450 x 450 880 x 450 879S 53.56 If ordered separately from a cabinet please add £15.00 carriage

Desk Units			
H x W x D (mm)	Code	Shelves	£
Sloping Top On Base Cabinet			
1175 x 880 x 450	87SDC	2 + Drawer	889.05
Sloping Top On 4 Legs			
1175 x 880 x 450	87SDL	1 + Drawer	609.88

Options & Accessories (Factory Fitted)

W X D (mm)	Code	£
Stainless Steel Castor Set	SC90	176.2
Zinc Plated Castor Set	ZC80	60.57
Sloping Top 450mm Wide	ST44	92.60
Sloping Top 880mm Wide	ST84	139.7
Leg Units	LU100	129.3

Choice of louvered panels also available

Key Features:

- Brushed Polish Finish
- Welded And Riveted Construction
- 'Non Snag' 3 Way Locking Handle



* PREMIERSHIELD If not standard, please specify colour choice at time of order

Stainless Steel Lockers SL SERIES

Welded and riveted construction from 304 quality stainless steel sheet with a brushed polish finish. Doors fitted with semi concealed pin or butt hinges and secured by camlock with two keys. The single compartment locker is fitted with a hat shelf and two coat hooks. Two compartments each fitted with 2 coat hooks. Supplied individually and pre-drilled ready for nesting into banks if required.

2 coat hooks.	Supplied in	dividually
Single Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/1	443.84
1778 x 305 x 381	SL38/1	503.73
1778 x 305 x 457	SL34/1	503.73
1778 x 457 x 457	SL44/1	538.68
Two Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/2	520.20
1778 x 305 x 381	SL38/2	523.99
1778 x 305 x 457	SL34/2	546.46
1778 x 457 x 457	SL44/2	663.91
Three Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/3	550.56
1778 x 305 x 381	SL38/3	564.75
1778 x 305 x 457	SL34/3	590.24
1778 x 457 x 457	SL44/3	660.70
Four Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/4	610.61
1778 x 305 x 381	SL38/4	617.98
1778 x 305 x 457	SL34/4	646.36
1778 x 457 x 457	SL44/4	692.09
Six Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/6	667.79
1778 x 305 x 381	SL38/6	683.88

Six Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/6	667.79
1778 x 305 x 381	SL38/6	683.88
1778 x 305 x 457	SL34/6	711.60
1778 x 457 x 457	SL44/6	802.02

Cube Lockers		
H x W x D (mm)	Code	£
305 x 305 x 305	SLC30	168.36
381 x 381 x 381	SLC35	178.52
457 x 457 x 457	SLC44	230.60
610 x 457 x 457	SLC64	255.56

Garment Collector		
H x W x D (mm)	Code	£
1778 x 381 x 457	SL34CL	602.33

Garment Dispensing			
H x W x D (mm)	Code	£	
1778 x 381 x 457	SL34D10	932.40	
1778 x 381 x 457	SL34D15	1,045.93	



Clean & Dir	ty		
H x W x D (mm)	Code	£	
1778 x 457 x 457	SL44CD	588.28	
Twin Locke	r		
H x W x D (mm)	Code	£	
1778 x 457 x 457	SL44TW	617.23	
Accessories (Factory Fitted)			
Description	Code	£	
Sloping Tops For All Standard Sizes		74.35	
Leg Units For All Single Lockers		60.86	
Perforated Doors		34.95	

*Image shows doors fitted with pin hinges

4	4>
6	
, ,	1 1
SL34D10	SL34CL



COLOUR RANGE

STANDARD

Below is our Standard range of RAL colours.



COLOUR RANGE

CUSTOM

Other colours are available upon request.

PREMIER SHIELD

* Textured finish available but not with Premier Shield

PREMIERSHIELD anti-bacterial powder coating system

Key Features:

In addition to our standard powder coating we have developed an anti-bacterial coating with active silver ions that penetrate bacterial cell walls and prevent growth. PremierShield is available in a range of colours and is effective against both gram negative and gram positive bacteria. It is recommended as an aid to hygiene best practice in laboratories, schools, public buildings and hospitals.

RESULTS OF INDEPENDENT TESTS

Bacteria Tested	% CFU reduction
Staphylococcus Aureus (MRSA)	99.99
Escherichia (e-coli)	99.99
Pseudomonas Aeruginosa	99.99
Bactillus Subtilis	99.98
Salmonella Enteritidis	99.98
Listeria MonocytogeneS	99.98

TERMS & CONDITIONS

Prices quoted are exclusive of VAT.

Please note our normal delivery service is applied to this priced product guide and does not include a day or time specific option. A special delivery service can be arranged to include this option for an additional charge.

Normal deliveries will take place between 8:00am and 5:00pm Monday to Friday. A special delivery service can be arranged for an additional charge.

Unless where otherwise stated prices include delivery to mainland UK. Prices for delivery to Scottish Highlands, Islands and overseas can be provided on request.

Other than collection, goods will be delivered to the nearest point of entry, off-loading being the responsibility of the customer, e.g. a ground floor reception/goods inward area not positioning on site.

All goods must be checked for damages and/or shortages before signing the delivery note(s)

Please contact us for authorisation in the unlikely event of returning goods. There is a handling charge of 15% of the invoice value plus delivery charges will apply.

Bespoke items cannot be returned unless deemed defective/faulty.

Lockers are non returnable unless deemed faulty or damaged.

Minimum order value on lockers £150.00 net or carriage is applicable.

We can accept orders on a call off basis if the delivery dates are agreed and quoted on the purchase order. Call off dates may not be changed without prior agreement.

First orders are on a pro-forma basis. Subsequent orders are payable on nett monthly account subject to status.

Retention of Title - Goods remain the property of the manufacturer until paid for in full.

Copies of our full Terms & Conditions Of Sale are available on request

(Company Brochure issue 11 01-01-16).

Please note: Prices are correct at time of publication (January 2016) however due to fluctuations in raw material cost, prices are for reference only. To confirm the current prices please contact the Sales Team.







6 Collingwood Court Riverside Park Middlesbrough TS2 1RP



Tel: 01642 242228

Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk