





FIAT OUTSIDE – SORTIMO INSIDE

made for professionals



6 Collingwood Court Riverside Park Middlesbrough TS2 1RP



Tel: 01642 242228 Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk







FIAT AND SORTIMO – COMPREHENSIVELY CARE-FREE

Buying a vehicle is also a matter of trust.

You have chosen a Fiat CV because its quality and design have convinced you. But quality and design should not know any boundaries – in-vehicle equipment from Sortimo turns boundaries into open spaces and increases your professional benefits. We guarantee it.

Sortimo Xpress offers you the possibility to quickly prepare your service and workshop vehicles for your individual job requirements, ensuring that they are used economically.

Globelyst M There is no time for compromise, Globelyst M is the new in-vehicle equipment from Sortimo to perfectly fit the equipment requirements of your Fiorino, Doblò, Scudo or Ducato. Globelyst M scores points based on its modular system. You can extend your Globelyst M system exactly to your wishes at a later stage by adding cases, BOXXes, drawers or trays for small and spare parts.

You need to transport large bulky parts? – No problem. Cargo bars and lashing tracks provide the ideal "seating" for all large items.

Trade specific accessories can be added very individually to Globelyst M. Globelyst M makes your job that much easier by offering many practical solutions for your work on site, such as a folding workbench.

VERY SMART - VERY SORTIMO.

If you do have any questions one of our many sales representatives will gladly answer it.

ICONS + FEATURES



Time is money – All the designs featured in this brochure are Xpress. Normal delivery time is 20 working days however Xpress offers a reduced delivery and installation time.



3 years warranty – Sortimo offers a 3 year guarantee on these products.



Upgrade – This very flexible product can be individually combined with other Sortimo products.



Crash tested - This product fulfils the high safety requirements of Sortimo. In co-ordination with the German TÜV, DEKRA and the ADAC, the equipment has been successfully crash-tested in simulated emergencies.



Lightweight yet robust – The product combines modern lightweight construction with the utmost stability.



ProSafe – The lashing point for the ProSafe hooks are integrated in the equipment and quickly ready for use.



CO₂ reduction – Based on modern lightweight construction, the weight of the equipment has been considerably reduced to save on petrol and reduce CO₂ emissions.

CRASH TESTED



Load safety is high on the Sortimo list of priorities – including in case of a crash. At a barrier impact speed of 50 km/h, for example, a load of 550 kg reaches a peak load of approximately 12 tons. Your load stays where it is supposed to be, in place. Sortimo crashtests in co-operation with the German TÜV, Dekra and ADAC and literally drives its products into the wall.


Irrespective of the product, be it Globelyst M, simpleco or CarMo, only those items withstanding the crash-test and fulfilling Sortimo's high safety requirements will be taken into the Sortimo range.

It is the crash test which decides which products we offer our customers.













Sortimo Intelligent Mobility



ONE SYSTEM FOR ALL

The Sortimo L-BOXXes system convinces.

Many well known manufacturers already use our L-BOXXes as a transportation container or as wholesale packaging. This way our L-BOXXes are turning into partner apps for a variety of components such as tools or small parts. Where professionalism and mobility are concerned, Sortimo sets the industry standards.

For you as our customer the only thing that changes is the colour, because irrespective of who you buy a Sortimo BOXX with the functionality of the BOXX is not affected. The system remains the same and of course, it is compatiable with Sortimo Globelyst.






















SORTIMO PARTNER APPS FOR YOUR SUCCESS















































WHY SORTIMO?



1. Cost savings

Simply continue driving – while others are still filling up, you are on the way to your customer.

2. Time savings

More than 50% of your colleagues spend more than an hour a day driving – unproductive time. You are smarter. Forgotten tools, damaged goods and unsorted small components are a thing of the past.

3. Load safety

ProSafe – The safety belt for your goods and your life. Integrated load safety – a standard Sortimo feature.

4. Flexibility

Do what you want to do – we adapt. For us you are the designer of your in-vehicle equipment and you decide where to safely store tools, machines and other goods. All parts can be combined with each other.

5. Light-weight construction

Thanks to the light-weight construction you can accept a bigger payload. Compared to traditional in-vehicle equipment Globelyst M saves up to 50% in weight. Make a comparison!

6. Innovative

It's the way we are, nothing we can do about it. For almost 40 years we have been investing in future-oriented technologies and developing innovative solutions to make your work easier. Why not decide for yourself!

7. Quality

Durable – robust – tested – green. To make sure that your investment is a safe one, we regularly conduct crash tests and quality tests. All drawer housings and trays made from high strength read sheets are powder-coated to guarantee long life protection against corrosion and exclude any risk of getting injured by sharp edges. Made in Germany.

8. Image

Same as in a relationship – it is the first impression that counts! We support your professional approach to your trade. Your van will turn into your company's calling card.



PROSAFE NOW A STANDARD FEATURE

Lashing for more safety

With our ProSafe floor lashing tracks you can safely secure your bulky goods. This way you and your load are safely on the road.

Integrated lashing

The new ProSafe lashing system is integrated in the uprights of the equipment as a standard. This intelligent possibility to secure the load is also included in the frame and the floor tracks.

Lashing without added weight

This saves money and especially weight.



ProSafe in the upright



ProSafe as lashing track










Thanks to ProSafe you need no additional lashing tracks.





ProSafe in the traverse







http://www.sortimo.co.uk

Would you like more information on ProSafe? Please go to www.sortimo.co.uk or directly via Smartphone und QR-Code.

GLOBELYST M -AT A GLANCE



Xpress – All the designs featured in this brochure are Xpress. Normal delivery time is 20 working days however Xpress offers a reduced delivery and installation time.

Sortimo L-BOXX and LS-BOXX

Mobile plastic boxes with a wide variety of possible partitions, available in five heights. L-BOXXes can be guickly click-joined with each other and transported as one.

Composite long components tray

The long components tray allows you to transport longer items in the vehicle without any problem.

Sortimo S-BOXX

Sortimo's S-BOXXes are available in two widths and heights. They are the ideal container for small components, spare parts or screws and can be securely locked on the shelf. You can pull the drawer out for easy access to all parts.

Sortimo Accessories

Original accessories from Sortimo are practical supplementary products for all trades and industries. From the cable holder to the cable hook -Sortimo will fulfil your requirements.

Racks and trays

Up to the last corner, the space in your vehicle can be utilised: Tools and spare parts can be neatly arranged in the racks and trays of Globelyst M.

Sortimo T-BOXX

Thanks to the practical plastic case with the transparent lid you can see right away what is in the BOXX. The T-BOXX can be safely stored in the vehicle equipment.

Case clamp

Secures tool and machine cases and can be positioned in no time.

Drawers

The new drawers with their user-friendly handles made from impact-resistant plastic are fully extendible and can be loaded with up to 80 kg. They are available in four different widths and heights.

Sortimo M-BOXX

A large mobile box with handle, also available with a lid. The M-BOXX locks in the system and can also be used as a drawer.

Metal case

The original case is available in many different variants. The case is on rails and can be pulled out completely.

Workbenches

Sortimo workbenches turn your van into a mobile workshop. Both, folding and extendible workbenches are available and can be supplemented with a rotating vice plate and a vice.

Safety and protective floors

The basis for your in-vehicle equipment is the safety or protective floor. You can choose between a variety of floors. The floors are cut to size for different vehicle models, offer integrated lashing possibilities and protect the vehicle floor from damage.

www.sortimo.co.uk

FIAT FIORINO BLOCKS


WHEELBASE: 2513 MM | BUILD YEAR FROM 2008

Step 1: Select the equipment that suits you most.





LEFT SIDE (PASSENGERS SIDE)



RIGHT SIDE (DRIVERS SIDE)



FFNS₁

- ► Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: ca. 1004 x 382 x 950 mm Weight: approx. 15 kg



FFNS 2

- ► Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers

W x D x H: about 1004 x 382 x 1035 mm

▶ 1 shelf with 3 S-BOXXes and 1 M-BOXX with handle

Weight: approx. 24 kg

▶ 1 base plinth



FFNS 3


- Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers
- ▶ 1 T-BOXX on guide rails
- ▶ 1 T-BOXX on tray slide
- ▶ 1 case on tray slide
- 3 drawers with mats and divders
- 1 base plinth

W x D x H: about 1004 x 382 x 916 mm Weight: approx. 39 kg



FFOS₁

- ► Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers
- ▶ 1 base plinth



W x D x H: about 1004 x 382 x 950 mm Weight: approx. 15 kg

£ 280.00



FFOS 2

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf trays with mats and dividers
- ▶ 1 shelf with 3 S-BOXXes and
- 1 M-BOXX with handle
- ▶ 2 T-BOXXes on guide rails

Weight: approx. 28 kg

£ 470.00

▶ 1 base plinth



FFOS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 2 T-BOXXes on guide rails
- ▶ 1 drawer with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1004 x 382 x 1069 mm Weight: approx. 33 kg

£ 595.00

£ 280.00

£ 415.00

£ 745.00





W x D x H: approx. 1004 x 382 x 1035 mm








FIAT FIORINO FLOOR WALLS

WHEELBASE: 2513 MM | YEAR BUILD FROM 2008

Step 2: Select the appropriate floor

SOBOGRIP®-PROTECTIVE FLOOR

	Vehicle model	Wheelbase	Article-No.	£/pc.	• 9 mm protective floor
•	Fiat Fiorino	2513 mm	100000134	155.00	extremely scratch and impact resistant cut to size for your vehicle drilling of the vehicle floor is not
					necessary



Step 3: Select the appropriate side cladding

PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO (please open out the last page in the brochure).

SOWAFLEX®

▶ the lightweight and sturdy wall cladding

- Protects the inside of the vehicle against damages
- highly puncture and crack resistant
- damp and chemical resistant

- cut-to-size for all vehicle models
- 60% lighter than wood

lel '	Roof Wall cladding Article No. £ / piece
;	H1 Side cladding 2/4/10 1000001220 78.00

FIAT DOBLÒ BLOCKS

WHEELBASE: 2566 MM | YEAR BUILD FROM 2012

Step 1: Select the equipment that suits you most.









RIGHT SIDE (DRIVERS SIDE)



1 DONO 1

- ► Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 762 x 382 x 950 mm Weight: approx. 15 kg

£ 260.00



FDONS 2

- ▶ Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mats and dividers
- ▶ 1 shelf with 1 S-BOXX and 1 M-BOXX with handle
- ▶ 1 shelf with 2 S-BOXXes and 1 wide S-BOXX

W x D x H: approx. 762 x 382 x 1103 mm

▶ 1 base plinth

Weight: approx. 21 kg



FDONS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mats and dividers
- ▶ 1 shevIf with 2 S-BOXX and 1 wide S-BOXX
- 2 drawers with mats and dividers

W x D x H: approx. 762 x 382 x 1103 mm

▶ 1 base plinth





FDOOS 2

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mat and dividers
- ▶ 1 shelf with 1 S-BOXX and 2 M-BOXXes, one with handle

W x D x H: ca. 1246 x 382 x 1120 mm

- ▶ 1 shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 base plinth



FDOOS 3

- ▶ Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mat and dividers
- ▶ 3 drawers with mats and dividers
- ▶ 3 T-BOXXes on guide rails
- ▶ 1 base plinth

W x D x H: approx. 1246 x 382 x 1120 mm Weight: approx. 47 kg

£ **500.00**

Weight: approx. 32 kg

£ **885.00**



£ 565.00

Weight: approx. 24 kg

£ 415.00













FIAT DOBLÒ L2 BLOCKS

WHEELBASE: 2963 MM | YEAR BUILD FROM 2012

Step 1: Select the equipment that suits you most.









RIGHT SIDE (DRIVERS SIDE)



FDOL2NS 1

- ► Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1004 x 382 x 950 mm

£ 270.00

Weight: approx. 14 kg



FDOL2NS 2

- ▶ Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mat and dividers

W x D x H: approx. 1004 x 382 x 1103 mm

- ▶ 1 shelf with 2 M-BOXXes
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 1 base plinth



FDOL2NS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mats and dividers
- ▶ 2 Drawers with mats and dividers
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 1 base plinth



FDOL2OS 1

- ► Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers

W x D x H: approx. 1488 x 382 x 1120 mm

▶ 1 base plinth



FDOL2OS 2

- ▶ Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mat and dividers

W x D x H: ca. 1488 x 382 x 1120 mm

- ▶ 1 shelf tray with 3 M-BOXXes
- ▶ 1 shelf with 7 S-BOXXes and 1 wide S-BOXX

Weight: approx. 38 kg

▶ 1 base plinth



FDOL2OS 3

- ▶ Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mat and dividers
- ▶ 3 drawers with mats and dividers
- 3 T-BOXXes on guide rails
- ▶ 1 case on tray slide
- ▶ 1 base plinth

W x D x H: approx. 1488 x 382 x 1120 mm Weight: approx. 52 kg

£ 440.00

Weight: approx. 24 kg

£ **625.00**

Weight: approx. 32 kg

£ 455.00

Weight: approx. 26 kg

£ 560.00

£ 950.00













W x D x H: approx. 1004 x 382 x 1103 mm


FIAT DOBLÒ FLOOR / WALL

WHEELBASE: 2963 MM | YEAR BUILD FROM 2012

Step 2: Select the appropriate floor

SOBOGRIP®-PROTECTIVE FLOOR

Ve	ehicle model	wheelbase	Article-No.	£/pc.	9 mm protective floor
▶ Fia	at Doblò	2566 mm	33502322	160.00	highly resistant to cracking and
▶ Fia	at Doblò	2963 mm	331008672	226.00	scratching • cut-to-size floor for your vehicle • no drilling of the vehicle floor



Step 3: Select the appropriate side cladding

PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO (please open out the last page in the brochure).

SOWAFLEX®

▶ the lightweight and sturdy wall cladding

- Protects the inside of the vehicle against damages
- highly puncture and crack resistant
- damp and chemical resistant

- cut-to-size for all vehicle models
- 60% lighter than wood

	14 12 2 6 10 4 11 5 9 3

FIAT SCUDO SWB BLOCKS

WHEELBASE: 3000 MM | YEAR BUILD FROM 2007

Step 1: Select the equipment that suits you most.

SET OF BOXXes original sortimo boxxes (+) Adapter plate

Sortimo's adapter plate turns the L-BOXX into the smallest independent in-vehicle equipment for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.













▶ Aluminium uprights with ProSafe

- ▶ 3 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1004 x 382 x 1120 mm

Weight: approx. 21 kg



FSSNS 2

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- 1 Shelf with 2 M-BOXXes, one with handle

W x D x H: approx. 1004 x 382 x 1120 mm

- ▶ 1 shelf tray with mats and dividers
- ▶ 1 base plinth



FSSNS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 1 shelf with mats and dividers
- ▶ 2 T-BOXXes on guide rails
- ▶ 2 drawers with mats and dividers
- ▶ 1 lifting flap
- ▶ 1 low base plinth

W x D x H: approx. 1004 x 382 x 1120 mm Weight: approx. 39 kg



FSSOS₁

- ▶ Aluminium uprights with ProSafe
- ▶ 6 shelves with mats and dividers
- ▶ 2 base plinths



FSSOS 2

- ► Aluminium uprights with ProSafe
- ▶ 4 shelves with mats and dividers
- ▶ 1 shelf with 4 S-BOXXes
- ▶ 1 shelf with 2 M-BOXXes
- 1 shelf with 2 T-BOXXes on guide rails

W x D x H: approx. 1730 x 382 x 1205 mm

- ▶ 1 case clamp
- ▶ 1 base plinth



FSSOS 3

- ► Aluminium uprights with ProSafe
- ► 4 shelves with mats and dividers
- ▶ 1 shelf with 4 S-BOXXes
- ▶ 2 Drawers with mats and dividers
- ▶ 2 T-BOXXes on guide rails
- ▶ 1 case on tray slide
- ▶ 1 lifting flap ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 1730 x 382 x 1205 mm Weight: approx. 62 kg

€ 905.00

Weigth: approx. 48 kg





Prices shown do not include installation, VAT, or delivery.

Weight: approx. 26 kg





Weight: approx. 35 kg















W x D x H: approx. 1730 x 382 x 1205 mm

FIAT SCUDO LWB BLOCKS

WHEELBASE: 3122 MM | YEAR BUILD FROM 2007

Step 1: Select the equipment that suits you most.

SET OF BOXXes original sortimo boxxes (+) Adapter plate

Sortimo's adapter plate turns the L-BOXX into the smallest independent in-vehicle equipment for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.













▶ Aluminium uprights with ProSafe

- ▶ 3 shelf trays with mats and dividers
- ▶ 1 base plinth



£ 375.00



- ► Aluminium uprights with ProSafe
- 1 Shelf with 2 M-BOXXes, one with handle
- ▶ 1 shelf tray with mats and dividers
- ▶ 1 base plinth



FSLNS 2

- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX



£ 450.00

Prices shown do not include installation, VAT, or delivery.



FSLNS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 1 shelf with mat and dividers
- ▶ 2 Drawers with mats and dividers
- ▶ 2 T-BOXXes on guide rails
- ▶ 1 lifting flap
- ▶ 1 low base plinth

£ 750.00

W x D x H: approx. 1004 x 382 x 1120 mm Weight: approx. 40 kg





W x D x H: approx. 1972 x 382 x 1205 mm Weight: approx. 38 kg

£ 655.00



FSLOS 2

- ► Aluminium uprights with ProSafe
- 1 shelf with 4 S-BOXXes and

- ▶ 1 case clamp

£ 935.00



FSLOS 3

- ► Aluminium uprights with ProSafe
- ► 4 shelves with mats and dividers
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 2 Drawers with mats and dividers
- ▶ 2 T-BOXXes on guide rails ▶ 1 case on tray slide
- ▶ 1 lifting flap
- ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 1972 x 382 x 1205 mm Weight: approx. 65 kg

£ 1235.00













FIAT SCUDO FLOOR/WALL


WHEELBASE: 3000 / 3122 MM | BUILD YEAR FROM AB 2007

Step 2: Select the appropriate floor

SOBOGRIP®-PROTECTIVE FLOOR

Vehicle model	Wheelbase	Article No.	£ / pc.
Fiat Scudo	3000 mm	331011141	226.00
► Fiat Scudo	3122 mm	331011143	244.00

- 9mm protective floor
- highly scratch and impact resistant
- cut-to-size for your vehicle
- no drilling of the vehicle floor



3

Step 3: Select the appropriate side cladding

PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO (please open out the last page in the brochure).

SOWAFLEX®


the lightweight and sturdy wall cladding

- Protects the inside of the vehicle against damages
- highly puncture and crack resistant

• damp and chemical resistant

- cut-to-size for all vehicle models
- 60% lighter than wood

	Vehicle model	Wheelbase	Roof	Wall cladding	Article No.	£/pc.
	Fiat Scudo	3000 mm	H1	Side cladding lining top 2/4	331011227	94.00
	Fiat Scudo	3000 mm	H1	Side cladding lining bottom 1/3	331011229	94.00
	Fiat Scudo	3122 mm	H1	Side cladding lining top 2/4	331011228	99.00
	Fiat Scudo	3122 mm	H1	Side cladding lining bottom 1/3	331011230	99.00



FIAT DUCATO SWB BLOCKS

WHEELBASE: 3000 MM | BUILD YEAR FROM 2006

Step 1: Select the equipment that suits you most.




Sortimo's adapter plate turns the L-BOXX into the smallest independent in-vehicle equipment for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.









RIGHT SIDE (DRIVERS SIDE)



FDSNS 1

- ► Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1246 x 382 x 1205 mm Weight: approx. 24 kg

£ 420.00



FDSNS 2

- ► Aluminium uprights with ProSafe
- ▶ 2 shelf trats with mats and dividers
- 1 shelf with 2 T-BOXXes and one low S-BOXX
- 1 shelf with 2 M-BOXXes and one S-BOXX
- ▶ 1 base plinth

£ 620.00





FDSNS 3

- ▶ Aluminium uprights with ProSafe
- 1 shelf with 5 S-BOXXes and
 1 wide S-BOXXes
- ▶ 1 shelf tray with mat and dividers
- 3 drawers with mats and dividers
- 3 T-BOXXes on guide rails
- ▶ 1 case on tray slide

£ 1115.00

- ▶ 1 lifting flap
- ▶ 1 base plinth

W x D x H: approx. 1246 x 382 x 1460 mm Weight: approx. 60 kg



FDSOS₁

- ► Aluminium uprights with ProSafe
- ▶ 8 shelf trays with mats and dividers

Weight: approx. 50 kg

▶ 2 base plinths



FDSOS 2

- ▶ Aluminium uprights with ProsSafe
- ▶ 4 shelves with mats and dividers
- ▶ 1 shelff with 4 S-BOXXes and one wide S-BOXX
- ▶ 1 shelf with 5 S-BOXXes and 1 wide S-BOXX
- 1 shelf with 2 T-BOXXes on guide rails
- 1 Shelf with 2 M-BOXXes and 1 S-BOXX
- ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 2214 x 382 x 1460 mm Weight: approx. 65 kg



FDSOS 3

- ► Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 1 shelf with 2 T-BOXXes on guide rails
- ▶ 1 shelf with 2 L-BOXXes and one low S-BOXX
- ▶ 1 Shelf with 2 M-BOXXes and 1 S-BOXX
- ▶ 3 drawers with mats and dividers
- ▶ 1 lifting flap, 1 case clamp, 1 base plinth

W x D x H: approx. 2214 x 382 x 1460 mm
Weight: approx. 88 kg

£ 840.00 £ 11

£ 1120.00

£ 1610.00













W x D x H: approx. 2214 x 382 x 1460 mm

FIAT DUCATO MWB BLOCKS

WHEELBASE: 3450 MM | BUILD YEAR FROM 2006

Step 1: Select the equipment that suits you most.


SET OF BOXXes original sortimo boxxes (+) Adapter plate

Sortimo's adapter plate turns the L-BOXX into the smallest independent in-vehicle equipment for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.





LEFT SIDE (PASSENGERS SIDE)



RIGHT SIDE (DRIVERS SIDE)



FDMNS₁

- ► Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1488 x 382 x 1205 mm Weight: approx. 27 kg

£ 455.00



FDMNS 2

- ▶ Aluminium uprights with ProSafe
- ▶ 2 shelf trats with mats and dividers
- ▶ 1 shelf with 3 T-BOXXes on guide rails
- ▶ 1 shelf with 2 M-BOXXes and 3 S-BOXXes
- ▶ 1 base plinth

W x D x H: approx. 1488 x 382 x 1460 mm Weight: approx. 47 kg



FDMNS 3

- ▶ Aluminium uprights with ProSafe
- ▶ 1 shelf with 7 S-BOXXes and 1 wide s-BOXX
- ▶ 1 shelf tray with mat and dividers
- ▶ 3 drawers with mats and dividers
- ▶ 3 T-BOXXes on guide rails
- ▶ 1 case on slide tray
- ▶ 1 lifting flap
- ▶ 1 base plinth

W x D x H: approx. 1488 x 382 x 1460 mm Weight: approx. 72 kg



FDMOS 1

- ▶ Aluminium uprights with ProSafe
- ▶ 8 shelf trays with mats and dividers
- ▶ 2 base plinths

W x D x H: approx. 2698 x 382 x 1460 mm Weight: approx. 56 kg



FDMOS 2

- ▶ Aluminium uprights with ProSafe
- ▶ 4 shelf trays with mats and dividers
- ▶ 1 shelf with 5 S-BOXXes and one double S-BOXX
- ▶ 1 shelf with 7 S-BOXXes and 1 double S-BOXX
- ▶ 1 Shelf with 3 T-BOXXes on guide rails
- ▶ 1 shelf with 2 M-BOXXes and 1 S-BOXX
- ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 2698 x 382 x 1460 mm Weight: approx. 79 kg



FDMOS 3

- ► Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers
- ▶ 1 shelf with 2 L-BOXXes and 1 S-BOXX
- ▶ 1 shelf with 2 M-BOXXes and
- ▶ 1 Shelf with 7 S-BOXXes and 1 wide S-BOXX
- ▶ 3 drawers with mats and dividers
- ▶ 3 T-BOXXes on guide rails
- ▶ 1 case on slide tray, 1 case clamp
- one lifting flap, 1 base plinth

W x D x H: approx. 2698 x 382 x 1460 mm Weight: approx. 109 kg

£ 1880.00



£ 1210.00

£ 920.00















FIAT DUCATO FLOOR/WALL


WHEELBASE: 3000 / 3450 MM | IBUILD YEAR FROM 2006

Step 2: Select the appropriate floor

SOBOGRIP®-PROTECTIVE FLOOR

	Vehicle model	Wheelbase	Article No.	£/pc.
	Fiat Ducato	3000 mm	331010271	215.00
•	Fiat Ducato	3450 mm	331010273	258.00

- 9 mm protective floor
- highly scratch and impact resistant
- cut-to-size for your vehicle
- no drilling of the vehicle floor



3

Step 3: Select the appropriate side cladding

PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO (please open out the last page in the brochure).

SOWAFLEX®

▶ the lightweight and sturdy wall cladding

- Protects the inside of the vehicle against damages
- highly puncture and crack resistant

- cut-to-size for all vehicle models
- 60% lighter than wood

damp and che	mical resistant			00 /0 ngm	ior man nood
Vehicle model	Wheelbase	Roof	Wall cladding	Article No.	£/pc.
Fiat Ducato	3000 mm	H1	Side cladding 1/4/9/10	331010561	195.00
Fiat Ducato	3450 mm	H1	Side cladding 1/4/9/10	331010821	248.00
Fiat Ducato	3450 mm	H2	Side cladding 1/4/9/10	331010563	279.00





ORIGINAL ACCESSORIES

FROM SORTIMO

inset boxes and dividers - a system of order for all drawers





LED internal lamp - to light up the night





The aluminium plate not only looks good, it is the basis for many options from the Sortimo accessories programme.







MOBILE ASSORTMENTS

ORDER YOU CAN CARRY WITH YOU – RIGHT FROM THE START

Our BOXX solutions - versatile and 100% compatible



















6 Collingwood Court Riverside Park Middlesbrough TS2 1RP



Tel: 01642 242228

Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk